

**Effective August 2009** 

18<sup>th</sup> Edition



18<sup>th</sup> Edition Effective August 2009

#### **NOTICE**

DISCLAIMER. The information contained in this publication is subject to constant review in the light of changing government requirements and regulations. No subscriber or other reader should act on the basis of any such information without referring to applicable laws and regulations and/or without taking appropriate professional advice. Although every effort has been made to ensure accuracy, the International Air Transport Association shall not be held responsible for loss or damage caused by errors, omissions, misprints or misinterpretation of the contents hereof. Furthermore, the International Air Transport Association expressly disclaims all and any liability to any person, whether a purchaser of this publication or not, in respect of anything done or omitted, and the consequences of anything done or omitted, by any such person in reliance on the contents of this publication.

Opinions expressed in advertisements appearing in this publication are the advertiser's opinions and do not necessarily reflect those of IATA. The mention of specific companies or products in advertisement does not imply that they are endorsed or recommended by IATA in preference to others of a similar nature which are not mentioned or advertised.

No part of the Worldwide Scheduling Guidelines may be reproduced, recast, reformatted or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system, without the prior written permission from:

Managing Director, IATA Distribution Services International Air Transport Association 800 Place Victoria P.O. Box 113 Montreal, Quebec CANADA H4Z 1M1



# TABLE OF CONTENTS

Preface
CALENDAR OF SCHEDULE COORDINATION ACTIVITIES
Section 1 – AIRPORT CAPACITY AND TRAFFIC CONGESTION  Section 2 –AIRPORT LEVELS
Section 2 –AIRPORT LEVELS
Section 3 – NON-COORDINATED AIRPORTS (LEVEL 1)
3.1 Definition of a Non-Coordinated Airport
3.1 Definition of a Non-Coordinated Airport
3.3 Role of Airports
2.4 Pala of Handling Agants
3.5 Change of Level
Section 4 – SCHEDULES FACILITATED AIRPORTS (LEVEL 2)
4.1 Definition of a Schedules Facilitated Airport
4.2 Role of Airlines
4.3 Role of Airports
4.4 Role of Schedules Facilitator
4.6 Change of Level
•
Section 5 – COORDINATED AIRPORTS (LEVEL 3)
5.1 Definition of a Coordinated Airport
5.2 Appointment of a Coordinator
5.4 Role of Airlines
5.5 Role of Airports
5.6 Role of Coordinators
5.7 Role of Coordination Committee13
5.8 General Principles of Coordination14
5.9 Recommended Minimum System Requirements19
5.10 Removal of Coordination
Section 6 – PROCESS OF COORDINATION19
6.1 Introduction of Coordination19
6.2 Availability of Airport Capacity19
6.3 Preparatory Work by Airlines
6.4 Historic Slots
6.5 Data Submission
6.7 Advice on Availability of Slots
6.8 Priorities for Coordination
6.9 Allocation of Slots by Coordinators
6.10 Use of Slots by Airlines
6.11 After Conference Activity/Slot Reallocation Process
6.12 Slots Allocated Prior to Traffic Rights or Operating Licence
6.13 Slots of an Airline which Loses its Operating Licence
6.14 Slots Allocated without Historic Precedence 39



Section 7 – MEDIATION	36
Appendix 1 – IATA SCHEDULES CONFERENCE	41
Appendix 2 – IATA APPOINTMENTS CALENDAR	47
Appendix 3 – SSIM AND ITS RELEVANCE TO AIRPORT COORDINATION	51
Appendix 4 – BASIS FOR THE CALCULATION OF HISTORIC SLOTS	53
Appendix 5 – STANDARDS FOR AIRPORT CAPACITY ANALYSIS	55
Appendix 6 – RECOMMENDED MINIMUM SYSTEM REQUIREMENTS FOR AIRLINES AND COORDINATORS	57
Appendix 7.1 – ADVICE FOR AIRLINES USING THE COORDINATION PROCESS	63
Appendix 7.2 – ADVICE FOR COORDINATORS USING THE COORDINATION PROCESS	65
Appendix 7.3 – INDEPENDENCE OF COORDINATOR	68
Annex 1 – ROLES AND TERMS OF REFERENCE OF COMMITTEES AND WORKING GROUPS	69
Annex 2.1 - MEMBERSHIP OF THE SCHEDULE POLICY WORKING GROUP	75
Annex 2.2 - MEMBERSHIP OF THE JOINT SCHEDULING ADVISORY GROUP	77
Annex 3 – CONTACT LIST FOR LEVEL 2 AND LEVEL 3 AIRPORTS	79
Annex 4 – STANDARD CLEARANCE/ADVICE FORM (SCR)	97
Anney 5 - NOTIFICATION OF AIRPORT   EVEL CHANGE FORM	gg



#### **PREFACE**

World economic activity increasingly demands a viable and dependable international commercial air transport system. To be operationally successful, such a system requires the close co-operation and coordination of governments, airport and air traffic control (ATC) authorities, as well as airlines.

Due to an imbalance between the demand for worldwide air transport and the availability of adequate airport facilities/infrastructure and airspace systems to meet such demand, the number of congested airports worldwide is growing. As a result, the airline industry is increasingly subjected to serious operational disruptions, with a significant number of delayed departures and arrivals, which result in significant economic penalties.

This adverse situation, which negatively impacts passengers, shippers, air traffic control agencies throughout the world as well as airports, has been the subject of intense consideration by Governments in recent years. Some have considered the introduction of various traffic distribution formulae to help relieve the congestion at busy airports. IATA is opposed in principle to the imposition of such rules because they can be impractical in the context of an international air transport system. Airline schedules, by their nature, involve more than one airport, often in different countries or continents. Any solution that is likely to ease the problem in one location must therefore be considered in an international context, with the active involvement of airlines and others directly involved in the air transport industry.

There is a process in place today, which has been singularly successful in maintaining a high degree of coherence and stability in the international air transport system. Started by IATA in 1947 as a modest attempt to maximise interlining possibilities for a small number of airlines, the IATA Schedules Conference (SC) is now a worldwide forum for reaching consensus on schedule adjustments necessary to not only maximise interline opportunities but also a forum to discuss and resolve problems of airport congestion. With the co-operation of airlines, airports, coordinators and industry experts, IATA has developed a comprehensive set of procedures which are intended to provide guidance on managing the allocation of scarce resources at congested airports on a fair, transparent and non-discriminatory basis.

The purpose of this document is to provide governments, airport managing bodies, coordinators, schedules facilitators and airlines with a detailed outline of these procedures. The procedures outlined in this document are intended to foster the fair and transparent allocation and efficient utilisation of scarce airport infrastructure to the acceptance of all parties concerned and to ensure that the requirements of civil aviation are met, mainly through the actions of the airlines themselves acting fairly and responsibly towards the public, airport managing bodies and one another. This document should be used in conjunction with the IATA Standard Schedules Information Manual (SSIM). The latest edition of these Guidelines is available on the IATA website at <a href="http://www.iata.org/sked.">http://www.iata.org/sked.</a>

Although the policies and procedures outlined in this document are intended as best practice for worldwide application, it is possible that some States or Regions may also have legislation dealing with some of these issues, in which case that legislation will have precedence over the policies and procedures shown in this document.



## ABOUT WORLDWIDE SCHEDULING GUIDELINES

For the avoidance of doubt, Annexes 1-3 do not constitute part of these Guidelines and are presented here for information purposes only.

Proposals for additions or amendments to these Guidelines must be submitted to IATA Management for review. Any amendments agreed by the Joint Scheduling Advisory Group will be distributed prior to the Schedules Conference (SC) to all Heads of Delegation. Endorsement will be sought at the Heads of Delegation Meeting held during the SC.

The following symbols will appear in the left hand margin to identify amendments:

■ = addition▲ = change

This edition of these Guidelines will take effect from 01 August 2009.

Enquiries relating to this document should be addressed to:

Head of Airport, Inflight & Scheduling IATA Route de l'Aéroport 33, P.O. Box 416 1215 Geneva 15 Airport Switzerland

Tel: +41 22 770 2738 Fax: +41 22 770 2662 E-mail: sked@iata.org



# CALENDAR OF SCHEDULE COORDINATION ACTIVITIES

Activity	Summer 2010 Season SC/125	Winter 2010/11 Season SC/126
Historic slots distributed by coordinators (SHLs) and IATA Management advised (6.4.2.1)	21 September 2009	19 April 2010
Agreed Historic Slot Deadline (6.4.2.3)	8 October 2009	6 May 2010
Confirmation of final coordination parameters and details of available capacity (5.5 and 6.2)	No later than 5 October 2009	No later than 3 May 2010
Deadline for Submission of Initial Slot Requests for Level 3 (6.5.1) and Schedules Information for Level 2 (4.5)	15 October 2009	13 May 2010
Appointments Calendar opened to coordinators to make appointments with airlines (Appendix 2)	3 November 2009	1 June 2010
Initial Slot Allocation and distribution of SALs by coordinators -	No later than	No later than
IATA Management advised. Details of allocated slots available to all airlines (6.9.1)	5 November 2009	3 June 2010
Appointments Calendar opened to airlines to make appointments with coordinators (Appendix 2)	6 November 2009	4 June 2010
Acceptance of initial slot offers and cancellation of unwanted offers by airlines (6.9)	Prior to start of Conference	Prior to start of Conference
IATA Schedules Conference (SC) opens – See convening memo (Appendix 1, part 2.1)	19 November 2009	17 June 2010
Changes to Schedules After the Conference (6.11.3) Guidelines on Holding and Returning of Slots (6.10.3)	November to January	June to August
IATA Slot Handback Deadline (6.10.3)	15 January 2010	15 August 2010
Reallocation of Slots (6.11.2)	16-30 January 2010	16-30 August 2010
Start of Use it or Lose it Calculation (= 100%) (6.10.7)	31 January 2010	31 August 2010
Changes to Schedules After the Conference (6.11.3) Short notice cancellation of slots (6.10.3)	February to end March	September to end October
Start of Scheduling Period	28 March 2010	31 October 2010
Ad hoc or other Schedule Adjustments (6.11.4) Short notice cancellation of slots (6.10.3)	March to end October	October to end March

**Note:** Figures in brackets refer to section numbers in the text of this document.



Intentionally left blank.



This section describes the impact on airport infrastructure of growing air traffic levels and highlights the need to constantly review airport capacity.

#### SECTION 1 - AIRPORT CAPACITY AND TRAFFIC CONGESTION

- 1.1 The capacity of an airport is dependent on the demand for one or more of its limiting components, such as the runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), and environmental constraints (e.g. night restrictions). Good management of these areas will determine the extent to which the airport can reach its full potential.
- 1.2 Increasing demand for air transport services implies that all facilities at an airport will remain under constant pressure to expand. The problems associated with expansion are complicated by the fact that services must be provided to the maximum possible extent at times when the public requires them. This causes demand peaks in certain seasons of the year, on certain days of the week and at certain hours of the day.
- **1.3** Without an expansion in capacity or resolution of the problem by other means, an airport becomes congested at certain times. This occurs when the demand for one or more of its limiting components exceeds capacity in a certain time period.
- 1.4 To resolve the situation, governments, airport and ATC authorities and the airlines must continually find the means to develop the capacity of each of their own systems in order to satisfy public demand. Increases in capacity should be undertaken to the point where the cost of doing so becomes unreasonable, or where political, sociological or environmental factors form insurmountable barriers. Additionally, all appropriate measures to mitigate congestion by making more efficient use of facilities should be taken.
- 1.5 Overall, there are relatively few airports where all the components of its infrastructure are fully utilised over extended periods of the day. While these airports can generally meet the needs of their customers, there are others that do not have the facilities or infrastructure to meet demand. Before embarking on costly ventures to expand capacity, airports need to regularly assess the capacity of the airport taking into consideration internationally and generally accepted methods. Assessment of airport capacity can often result in a more effective use of available facilities and resources, which can be achieved quickly and with minimum cost.

The important principle to note here is that the primary solution to the problem of airport congestion is to increase capacity. It is essential that airport management's, together with ATC, airlines and other parties involved, should endeavour to remove or change restrictive features so that the airport can reach and sustain its full potential. Schedule adjustments or coordination should only be necessary when all possibilities of developing the limiting components of airports have been exhausted.



Intentionally left blank.



This section outlines the IATA scheme of airport categorisation for scheduling and coordination purposes.

#### SECTION 2 -AIRPORT LEVELS

- While airports will continue to come under pressure to maximise their full potential, the aviation industry must deal with the realities of airport congestion and find ways to minimise its impact. Depending on the level of activity at airports, certain procedures to ensure acceptance of airline schedules have been developed to cover various situations.
- **2.2** For the purposes of schedule clearance, there are three broad categories of airports:
  - **Level 1** describes those airports whose capacities are adequate to meet the demands of users. Such airports are recognised from a schedule clearance viewpoint as **non-coordinated**;
  - Level 2 describes airports where, due to demand, a more formal level of co-operation and facilitation is required to avoid exceeding scheduling parameters. These airports are referred to as schedules facilitated;
  - Level 3 describes those airports where demand exceeds capacity during the relevant period and it is impossible to resolve the serious problems in the short term. In this scenario, formal procedures have been implemented at the airport to allocate capacity and coordinate schedules. Airports with such high levels of congestion are referred to as coordinated.
- 2.3 The designated level of an airport will be reviewed by IATA Management and JSAG after receipt of the Notification of Airport Level Change Form (Annex 5) by the appropriate airport managing body. IATA Management will then distribute to the airlines affected notification of the level change.
- ▲ 2.4 See below for a graphical outline of the three categories of airport, and associated activities.



Levels of Airport Activity

## Level 1: Non Coordinated Airport



Simple discussions between airline, handling and data collection agents and airport

## Level 2: Schedules Facilitated Airport



Schedules submitted to schedules facilitator who seeks cooperation and voluntary schedule changes to avoid congestion.

No slots are actually allocated and no historical precedence applies.

Message Type: SMA

#### Level 3: Coordinated Airport



Airlines must have been allocated a slot before operating Allocation of slots by coordinator Historic precedence exists and slot exchange occurs Message Type: SCR



This section defines the first category of airport and outlines the roles of the various principals. It also describes the conditions for change to another category.

### SECTION 3 - NON-COORDINATED AIRPORTS (LEVEL 1)

#### 3.1 DEFINITION OF A NON-COORDINATED AIRPORT

A non-coordinated airport is one where the capacities of all the systems at the airport are adequate to meet the demands of users.

#### 3.2 ROLE OF AIRLINES

Airlines with traffic rights permitting them to operate to a Level 1 airport, should notify their appointed handling agent and the relevant airport managing body, or the agent responsible for data collection if one has been appointed, of their planned schedule. In order to improve the efficiency of the SC discussions about schedule options at Level 1 airports should not take place during the SC. All subsequent schedule changes should also be notified to all parties.

#### 3.3 ROLE OF AIRPORTS

Airport managing bodies of Level 1 airports should monitor all the systems at their airports and introduce additional capacity when required to avoid congestion. They also have a responsibility to work with handling agents to avoid constraints that impact on airline schedules. To facilitate this exercise, it may be necessary from time to time to seek schedules data in advance from the airlines in specified formats. In some instances, the airport managing body may appoint a data collection agent to undertake this task. Since airline schedules at Level 1 airports are not finalised until after the SC, airports should not request schedule data from airlines before or during the SC.

#### 3.4 ROLE OF HANDLING AGENTS

It is the responsibility of the handling agent to make its own arrangements with the airport to handle the planned flights. Handling agents have a major responsibility to ensure that unnecessary constraints are not created either through poor planning or inadequate resources in their own operations.

#### 3.5 CHANGE OF LEVEL

Level 1 status at an airport is the ideal situation for airlines and in the event of facilities coming under pressure from increased demand, any move to change to Level 2 must be discouraged until all practical opportunities for expansion of airport infrastructure to meet demand have been exhausted.

A change in status from Level 1 to Level 2 should only be made after a thorough capacity analysis has been completed by the relevant authority and full consultations have been conducted with all interested parties. When this process is complete the relevant authority should notify all interested parties (airlines, airport managing body, Government, IATA Head of Airport, Inflight & Scheduling) of the decision to change the status of the airport. In any event, that notification of an airport level change should be made no later than 1 April for the next Winter Scheduling Period and 1 September for the next Summer Scheduling Period.

For the purpose of maintaining an up to date list of the status of all airports any change of level must be notified to IATA using the Notification of Airport Level Change Form in Annex 5.



Intentionally left blank.



This section defines the second category of airport and the roles of those involved. It emphasises the strict conditions necessary for change to a higher level category.

## SECTION 4 – SCHEDULES FACILITATED AIRPORTS (LEVEL 2)

#### 4.1 DEFINITION OF A SCHEDULES FACILITATED AIRPORT

A schedules facilitated airport (Level 2) is one where there is potential for congestion at some periods of the day, week or scheduling period, which is amenable to resolution by voluntary cooperation between airlines and where a schedules facilitator has been appointed to facilitate the operations of airlines conducting services or intending to conduct services at that airport.

The activities of the schedules facilitator must at all times be neutral, transparent and non-discriminatory.

#### 4.2 ROLE OF AIRLINES

Airlines operating to, or intending to operate to, a Level 2 airport, must submit their proposed schedules in advance to the schedules facilitator. For details of the timetable of events see the Calendar of Schedule Coordination Activities. Submissions should be made using a Schedule Movement Advice (SMA). For details see Chapter 6 of SSIM. Addresses to which SMAs should be sent are shown in Annex 3 of the WSG.

To simplify administration, airlines are required to submit their schedules data to the schedules facilitator by 23:59 UTC on the 35<sup>th</sup> day prior to the start of the Schedules Conference.

It is vital for the proper working of the system and in the interests of airlines themselves, to cooperate fully with this process. In this context, it may be useful for airlines to discuss and agree local guidelines. The early review of data on planned flights may reveal periods of potential congestion and the airlines concerned must be willing to make schedule adjustments in order to reduce operational delays and avoid the need for coordination. Voluntary exchange of timings between airlines is also encouraged.

#### 4.3 ROLE OF AIRPORTS

The airport managing body must provide support to the schedules facilitator in seeking full airline co-operation. It must ensure that appropriate scheduling parameters are agreed with all stakeholders twice each year, prior to the IATA schedule submission deadlines, and provide facilities necessary to handle the airline schedules submitted by the facilitator, within acceptable service criteria.

It must also keep the facilitator and any interested parties informed about capacity limitations, and especially give timely warning if one or more of these limitations might be reached or exceeded in the near future.



#### 4.4 ROLE OF SCHEDULES FACILITATOR

In order to facilitate voluntary solutions to capacity problems, the schedules facilitator should provide details of the capacity available and the degree to which such capacity is utilised. The schedules facilitator is responsible for collecting and combining the proposed schedules of the airlines planning to operate into a Level 2 airport.

This schedule information is then reviewed with the airport managing body concerned, prior to the SC, in order to identify any critical airport infrastructure elements that are likely to become congested. If the congestion is likely to occur during certain periods of the day, the schedules facilitator will advise the affected airlines and recommend alternative arrival and/or departure times.

After the distribution of the SALs, the information collected by the schedules facilitator must be made available to all interested parties.

#### 4.5 PROCESS OF SCHEDULES FACILITATION

The basic process of schedules facilitation centres on interaction between airlines and the schedules facilitator. The main forum for this interaction is the SC.

Airlines and schedule facilitators should use the SSIM message exchange formats developed for communication at Level 2 airports. Both parties must be aware that no slots are allocated at Level 2 airports and only schedule adjustments are being discussed.

Airlines must submit their planned schedules to the schedules facilitator by the deadline dates specified in the Calendar of Schedule Coordination Activities. No later than 23:59 UTC on the 9<sup>th</sup> day prior to the start of the SC schedules facilitators must send to each airline, in SAL format, a listing of schedules held by that airline in the schedules facilitators database. Airlines should then arrange to meet with the relevant schedules facilitator at the SC to resolve any problems that may arise. Every effort should be made by the participants in these discussions to ensure that all outstanding problems are resolved at the SC.

The dialogue initiated at the SC between airlines and schedules facilitators should continue after the SC, and the facilitator must be kept informed by airlines of all changes to their planned schedules. Schedules facilitators must also inform the airport of all changes to the airlines' planned schedules.

It is essential for schedules facilitators to keep a record of all schedule adjustments.

Schedules facilitators must also maintain a record of all operations, planned and operated, through their airports. This is necessary to ensure that a database is established for identification of historic precedence, in the event of any of the airports concerned changing to Level 3.



#### 4.6 CHANGE OF LEVEL

If elements of the airport infrastructure come under pressure from increased traffic demand, or if the voluntary system of schedule adjustments by airlines is no longer effective in ensuring that the schedules fit within the scheduling parameters, the question of changing the category of the airport to Level 3 may arise.

In such a situation, the following will apply:

- (a) when incumbent airlines and/or airlines wishing to operate at an airport, and/or the airport managing body, consider that the capacity is insufficient for actual or planned operations at certain periods or;
- (b) when the government responsible for the airport considers it necessary;

then the government concerned should ensure that all interested parties are consulted on the situation and should ensure that a thorough capacity analysis is carried out as soon as possible, preferably organised by the airport managing body, and based on commonly recognised methods for capacity assessment. (Appendix 5 for information on some of these methods)

The analysis should examine the critical sub-systems and consider the practicalities of removing scheduling constraints through infrastructure or operational changes.

Both the analysis and the method used should be made available to interested parties upon request.

If there is no possibility of resolving the problems in the short-term, either through removal of scheduling constraints or by voluntary adjustment of airline schedules, then the airport concerned should be designated as a coordinated airport.

#### It is imperative that every opportunity is explored to avoid this situation.

However, once the decision has been made to change the status of the airport, it is the responsibility of the government to ensure that a Coordination Committee or equivalent body is set up.

The government should notify the airport managing body, the airlines using the airport and the IATA Head of Airport, Inflight & Scheduling. This notification should ideally be made no later than 1 April for the next Winter Scheduling Period and 1 September for the next Summer Scheduling Period in good time before the airlines submit their schedules to the coordinator for the forthcoming season.

For the purpose of maintaining an up to date list of the status of all airports any change of level must be notified to IATA using the Notification of Airport Level Change Form in Annex 5.

When an airport changes from Level 2 to Level 3, it becomes necessary to create a base for historic slots for each airline. This is produced from the records held by the schedules facilitator of both planned and operated schedules for the previous equivalent scheduling period. The coordinator of the newly designated Level 3 airport will compare the planned schedules with the services operated, to determine the historic base.

Airlines who have not co-operated with the schedules facilitator in relation to schedule adjustments, or who have not provided the details of changes to their schedules, may not receive historic precedence for their operated timings.



Intentionally left blank.



This section defines the third category of airport, and the roles of those involved, including that of coordinator. It introduces the concept of slots and defines them. It also highlights the need for airports to revert to a lower category if capacity improvements are made that satisfy all demand. Finally, it outlines the general principles involved in airport coordination.

### SECTION 5 - COORDINATED AIRPORTS (LEVEL 3)

#### 5.1 DEFINITION OF A COORDINATED AIRPORT

A coordinated airport (Level 3) is one where the expansion of capacity, in the short term, is highly improbable and congestion is at such a high level that:

- the demand for airport infrastructure exceeds availability during the relevant period;
- attempts to resolve problems through voluntary schedule changes have failed;
- airlines must have been allocated slots before they can operate at that airport.

Because slots at a coordinated airport may not be available at peak times, it is essential that airlines operating or planning to operate there should be prepared to develop alternative plans if they are unable to acquire the exact slots that they need. There are some airports where few or even no suitable slots are available. In this case, airlines should be aware of alternative airports, which could accommodate their planned services.

#### 5.2 APPOINTMENT OF A COORDINATOR

To prevent undue delays, diversions or cancellations of flights at an airport designated as coordinated requires the allocation of slots to all airlines operating or planning to operate at the airport in question. Detailed schedule adjustment procedures, as outlined in this section and in Section 6, will need to be implemented.

The coordinator should be appointed by the appropriate authority, following consultations with the airport managing body, the airlines using the airport regularly and their representative organisations. The person appointed must act independently of any interested party. Previous airline scheduling knowledge and/or coordination experience is highly desirable. Coordinators must have sufficient time and resources to provide coordination services in accordance with these guidelines. If a country has more than one Level 3 airport, there may be cost saving benefits if one coordinator or coordination organisation deals with all such airports.

Level 3 airports must have independent coordinators. The activities of the coordinator must at all times be neutral, transparent and non-discriminatory.

#### 5.3 DEFINITION OF SLOTS

A slot is defined as the scheduled time of arrival or departure available for allocation by, or as allocated by, a coordinator for an aircraft movement on a specific date at a coordinated airport. For scheduling purposes, the slot is the scheduled time of arrival or departure at the terminal, not the time of landing or takeoff from the runway. An allocated slot will take account of all the coordination parameters at the airport, e.g. runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), environmental constraints e.g. night restrictions, etc.

A series of slots is defined as at least five slots, having been requested for the same time on the same day of the week regularly in the same scheduling period and allocated in that way or, if that is not possible, allocated at approximately the same time.

#### 5.4 ROLE OF AIRLINES

All airlines operating or planning to operate flights through a coordinated airport must provide details of their proposed schedules to the coordinator, using a Slot Clearance Request (SCR). Details of the format to be used in exchanging data with coordinators are shown in Chapter 6 of SSIM. The deadline dates for initial data submission can be found in <u>6.5</u> and in the Calendar of Schedule Coordination Activities.

#### 5.5 ROLE OF AIRPORTS

The role of airport managing bodies in the scheduling/allocation process should be limited to ensuring that appropriate coordination parameters are agreed with stakeholders and updated twice each year. Where constraints persist, the airport managing body is encouraged to examine capacity and to implement appropriate capacity enhancements. This is to ensure that a reversion to Level 2 or Level 1 status can be achieved at the earliest opportunity.

After consultation with the Coordination Committee the airport managing body must inform the coordinator and the airlines (through the appropriate coordinator) of any capacity changes and of the coordination parameters at least 10 days before the submission deadlines for each SC.

A reduction in the available capacity of an airport, especially **after** the SC, must only be considered in very exceptional circumstances, because of the extreme difficulty of adjusting schedules to obtain compatible slots at other constrained airports without the opportunities afforded by the SC.

#### 5.6 ROLE OF COORDINATORS

The designated coordinator is expected to work in accordance with the agreed procedures outlined in the Process of Coordination (Section 6). In particular, the coordinator should:

- Notify all interested parties of the coordination parameters to be applied at least one week prior to the industry deadline for submission of initial slot requests for each SC.
- Upon request, make available to the airlines or to the airport managing body in a timely and efficient manner, all the data described in Appendix 1, Part 2: Standing Working Arrangements, Section 8.
- Attend and participate in all IATA SC's;
- Allocate slots to airlines:
  - on the basis of the coordination parameters;
  - using priority criteria as outlined in <u>6.8</u>;
  - in a neutral, non-discriminatory and transparent way.
- Monitor and feed back to aircraft operators and to the airport managing body data on the actual
  use of slots allocated, to ensure that scarce resources are not wasted;
- Regularly arrange meetings to review the coordination parameters with the airport managing body and other relevant parties, which are open to all the airlines concerned;
- Call a general consultative meeting between the airlines and the appropriate authorities, to advise the airlines when major changes in policy or capacity are planned which could significantly affect coordination.
- Offer advice to the airlines and the appropriate authorities on all matters likely to improve airport capacity or scheduling flexibility, and in particular on any area which will help a return to Level 2 or Level 1 status;
- Try to resolve problems arising from conflicting requirements in such a way as to avoid any need for external intervention.



#### 5.7 ROLE OF COORDINATION COMMITTEE

Where an airport has been designated as coordinated (Level 3), it is in the interests of all the stakeholders (e.g. airlines, airport managing body, general/business aviation, control authorities and ATC) that a Coordination Committee or equivalent body is established by the government concerned to advise the coordinator. (Annex 1-5)

The principal tasks of the coordination committee or equivalent body are to:

- · advise on the possibilities of increasing the capacity of the airport;
- advise on ways of achieving a better utilisation of the capacity available;
- advise on the coordination parameters on which slot allocation is based;
- advise the coordinator on monitoring the use of allocated slots;
- act as mediator in the event of complaints by airlines on slot allocation;
- consider any serious problems for new entrants at the airport concerned;
- oversee the activities of the slot performance sub-committee, where one exists;
- advise on local guidelines for coordination.

#### 5.8 GENERAL PRINCIPLES OF COORDINATION

This section outlines the key principles governing slot coordination.

- Slots are allocated by a coordinator only at a coordinated airport;
- Slots can only be allocated to aircraft operators;
- All operations at a coordinated airport require a slot allocated by the coordinator;
- In order to operate into and out of a coordinated airport, an aircraft operator must have slots allocated to it. However, government may exempt certain categories of aircraft operations e.g. humanitarian flights.

The following principles apply to airlines. Similar principles may also apply to other aircraft operators, but are not covered by this document.

- All activities involving slots, including the determination of historic slots, are handled in UTC;
- The initial forum for the discussion of slots, and the adjustment of schedules, is the SC. The SC is held twice each year to provide a forum for the clearance of airline schedules during the two scheduling seasons. All airlines, both IATA and non-IATA, are eligible to participate in this forum, together with designated coordinators and schedules facilitators. Invited observers from other interested agencies may also attend;
- The IATA Schedules Conference Terms of Reference and its Standing Working Arrangements are outlined in <u>Appendix 1</u>;
- At a coordinated airport, the appropriate authority, with advice from the coordinator, will
  determine the coordination parameters for slot allocation twice each year, after consultation
  with interested parties. The results of this exercise will be provided to the coordinator and
  communicated to the airlines by the coordinator prior to the submission deadlines for the
  relevant SC (5.5) and (5.6);
- The coordination parameters should be carefully determined at each airport to allow the maximum flexibility for airlines yet also apply the necessary control of the schedule by the coordinator to avoid congestion and delays;
- Aircraft operations may be classified into the following broad categories:
  - (a) A series of scheduled services;
  - (b) Ad-hoc services;
  - (c) Other operations.



See Definitions — Section 8

In the event of conflict arising between the interests of these different categories, priority should be given to (a) and then (b) above.

The basic principle of the slot allocation process is historic precedence, whereby airlines are entitled to a series of slots which have been allocated to and operated by them, as cleared by the Coordinator for the next equivalent scheduling period. Details of this procedure are given in 6.4 and 6.8;

- Historic slots must not be withdrawn from an airline as a means of providing for new entrants or any other category of aircraft operator. Confiscation of slots for any reason should be avoided, unless intentional slot abuse by an airline is proven;
- Slots may be transferred or exchanged within or between airlines subject to the conditions described in <u>6.10</u>. (Use of Slots by Airlines);
- Slot allocation is independent of bilateral air service agreements. The granting of landing rights
  does not entitle an airline to airport slots, nor does the allocation of slots to an airline entitle that
  airline to landing rights;



- Coordination is concerned only with the allocation of airport slots;
- All participants in the slot coordination process are encouraged to use, where available, coordinators' websites, for information on airport capacity figures and schedules, and to facilitate slot swaps;
- As long as traffic growth continues to outstrip the rate of expansion of facilities at airports, there
  will be problems with conflicting demands for slots. Every effort should be made to resolve such
  problems in an atmosphere of mutual co-operation and goodwill.

#### 5.9 RECOMMENDED MINIMUM SYSTEM REQUIREMENTS

In order to participate effectively in the scheduling process it is recommended that both airlines and coordinators must have computer systems available to undertake their duties effectively and fully comply with the IATA WSG and local regulations/guidelines.

The recommended minimum system requirements for airlines and coordinators are in Appendix 6.

#### 5.10 REMOVAL OF COORDINATION

When, at an airport designated as Level 3 (coordinated), incumbent airlines representing more than half the operations or the airport managing body consider that there is sufficient capacity to meet the planned operations, the government concerned should, after consultation with all interested parties, re-designate the airport as Level 2 (schedules facilitated) or Level 1 (non-coordinated).

It is the policy of IATA Management to monitor regularly all airports designated as Level 3 with a view to their re-designation as Level 2. All airlines should be alert to changing circumstances at the airports they serve and should suggest re-designation by approaching the Coordinator, the Coordination Committee or IATA Management.

For the purpose of maintaining an up to date list of the status of all airports any change of level must be notified to IATA using the Notification of Airport Level Change Form in Annex 5.



Intentionally left blank.



# Airline Validates Historics Do the historics in the SHL correspond with the airlines SAL received and Airline agrees and Initial Submission checks contents Airline ensures and confirms receipt Airline prepares data expectations? prepares Initial AIRLINE Submission ■ Airport Slot Process Flow Chart ŝ ŝ submission deadline, Coordinator will decide whether or not disputed slots are returned to the pool for reallocation. (Airlines can seek mediation) Coordinator acknowledges receipt of submissions In case of unsolved disagreement before the **Airline Initial Submission** Does the airline have a slot history from the previous equivalent season? Slot Allocation List (SAL) Pre-Conference Activity not later than deadline not later than deadline **Schedules Conference** not later than deadline Slot Historic List (SHL) Airline disagrees Yes Yes Coordinator validates reevaluate Historics Coordinator Validates Initial Allocation Coordinator to Coordinator agrees by Coordinator Submissions COORDINATOR Historics



Intentionally left blank.



This section details how coordination works, preparation by airlines and coordinators before the event, submissions by airlines, allocation of slots and the priorities applied by coordinators, and how slots are used by airlines.

#### SECTION 6 - PROCESS OF COORDINATION

The process of coordination is driven by a calendar of activities as detailed in the Calendar of Schedule Coordination Activities. The actual dates for the activities within the scheduling period will be published by IATA at the preceding SC so all parties involved in the process of coordination will be aware of these important dates and deadlines.



**Deadlines** — See Calendar of Schedule Coordination Activities

#### 6.1 INTRODUCTION OF COORDINATION

Vvnere schedule coordination is to be introduced for the first time, it is the duty of the newly appointed coordinator to notify all interested parties of the administrative arrangements and coordination parameters to be applied, prior to the established industry deadline for submission of initial slot requests.

The newly appointed coordinator should coordinate slots for all air carriers at the airport.

#### 6.2 AVAILABILITY OF AIRPORT CAPACITY

Coordinators must make available, ideally on their websites, the following up-to-date information to airlines operating or planning to operate at the airports that they coordinate:

- The coordination parameters for the next scheduling period, for runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), environmental constraints, e.g. night restrictions, etc.;
- The actual utilisation of available capacity and how full or close to full the airport is on a typical busy week of the most recent summer and winter scheduling periods. This data should be as detailed as possible so that airlines can understand the limitations on scheduling at the airport for each coordination parameter and which hours are congested. Whenever possible supporting graphs and charts should be provided showing the actual utilisation of the peak week capacity for the current season. This will provide essential guidance to the airlines for their planning of future seasons.

The coordination parameters should be provided to the airport managing body, the Coordination Committee, airlines serving the airport, and all other interested parties at least one week prior to the established industry deadline for submission of initial slot requests for each SC. This information should also be displayed on the coordinators' websites, and should highlight any recent changes made. Links to the coordinators' websites should also be made available on the IATA website.



#### 6.3 PREPARATORY WORK BY AIRLINES

Prior to submitting Slot Clearance Requests (SCRs), airlines should familiarise themselves with the coordination parameters and utilisation data provided by coordinators in accordance with 6.2.

If airlines do not have up-to-date utilisation and capacity data, it should be obtained directly from the coordinator, well in advance of the data submission deadline.

If airlines request slots at a time designated by the coordinator as "full" or "close to full", there is a strong possibility that the slots requested would not be available. In such cases alternative slots, as close as possible to the originally requested timings, should be offered by the coordinator. Therefore, it is essential that all airlines should have alternative, management approved schedules available at the SC so that plans can be adjusted.

#### 6.4 HISTORIC SLOTS

Prior to the submission deadline  $(\underline{6.5.1})$  it is essential that coordinators and airlines should try to agree on which slots are historic.

#### 6.4.1 Determination of Historic Slots

Coordinators should use the following guidelines for determining which slots are historic:

- Slots cleared by coordinators as ad-hoc are not eligible for historic precedence;
- Slots are eligible for historic precedence when the series of slots has been operated, as cleared by the coordinator, by that air carrier for at least 80% of the time during the scheduling period for which it has been allocated (6.8.1.1 and 6.10.7);
- Flights initially requested as a series of slots and cleared by the coordinator at significantly
  different timings (i.e. not forming a series of at least 5 consecutive flights at the same or
  approximately same time on the same day of the week) but subsequently re-cleared before
  operation, so as to form a series by the end of the scheduling period, may be eligible for
  historic precedence;
- Slots held on file by coordinators on 31 August (Winter) and 31 January (Summer), will be used as the basis for determination of historic slots;
- For slots allocated by coordinators **after** 31 August (Winter) and 31 January (Summer), the number of slots in the series at the date they were allocated will be used as the basis for the calculation of use it or lose it rule (6.10.7) and the determination of historic slots for that season;
- Whether slots are requested before or after 31 August (Winter) and 31 January (Summer), it
  will be the latest timings approved by coordinators for each series of slots that will be the basis
  for the determination of historic slots for that season.



**Deadlines** — See Calendar of Schedule Coordination Activities

For additional detail on the determination of historic slots, see Appendix 4.



#### 6.4.2 Confirmation of Historic Slots - SHL

This process is undertaken in two parts.

#### 1. Coordinator Action

Having identified the entitlement to historic slots, as outlined above, coordinators must provide each airline with the details of their historic slots. The SHLs (<u>Section 8 – Definitions</u>) must be distributed for each airport, as soon as the historic slots have been determined by the coordinator, but not later than:

- the third Monday in April for what is on record as historic slots, as actually operated in the preceding Winter scheduling period;
- the third Monday in September for what is on record as historic slots, as actually operated in the current Summer scheduling period up to that time. However, information given to the airlines prior to end of the Summer scheduling period must be regarded as provisional until the season is completed.

When a coordinator has distributed the SHLs to the airlines the coordinator must advise IATA Management, by the SHL deadline at the latest, that these messages have been sent at the following address: <a href="mailto:sked@iata.org">sked@iata.org</a>. The message sent to IATA must include the relevant scheduling period, airport, and date the SHLs were distributed. IATA will display this information against the relevant airport on the IATA website.



**Deadlines** — See Calendar of Schedule Coordination Activities

#### 2. SHL Format

The dates stated in the SHLs distributed by the coordinator must only be the dates of the new scheduling period. This means that for records covering the entire scheduling period, the start/end dates should be the start/end dates of the new scheduling period.

When flights do not operate throughout the scheduling period, the start/end dates of these operations should be the dates closest (i.e. earlier or later) to the respective dates applicable to the same day(s) of operation in the previous scheduling period.

The coordinator must "reconstruct" the records of flights which qualify for historic status but which have been "fragmented" by schedule changes during the scheduling period, (e.g. ad hoc cancellations or aircraft type or flight number changes), to create a single historic record for each flight prior to the distribution of the SHLs to airlines, provided that the "reconstruction" complies with all the coordination parameters at the airport.

#### 3. Airline Action

Airlines must acknowledge receipt of SHLs, check its contents and advise the coordinator whether or not they agree with their historic slots no later than the Agreed Historic Slot Deadline, so that differences can be resolved before the submission deadline.

No new differences related to the SHLs can be raised with the Coordinator after the Agreed Historic Deadline.

When there is disagreement regarding the historic status of slots that cannot be resolved before the submission deadline, airlines may elect to seek mediation as outlined in Section 7. The coordinator will decide whether or not the disputed slots are returned to the pool for reallocation.

If airlines do not receive a statement of their historic slots, as outlined above, it is their responsibility to question the coordinator, using the IATA website as reference for when the SHLs were distributed.



#### 4. IATA Action

If IATA Management has not received an email from the coordinator at a Level 3 airport confirming the distribution of historic slots to airlines by the industry deadline then IATA Management will contact the coordinator concerned to resolve the problem.

IATA Management will discuss, on an informal basis, problems with compliance with these arrangements with coordinators who regularly fail to distribute SHLs by the industry deadline.

#### 6.5 DATA SUBMISSION

Airlines must submit their Slot Clearance Requests (SCRs) to the appropriate coordinators in advance of each SC. This includes historic slots, changes to historic slots and reason for the change and requests for new slots. The SCRs must be submitted by the deadline dates shown in <u>6.5.1</u> below. New slots must not be requested unless the airline intends to operate them (<u>6.10</u>). In this context, "operate" includes participation in a shared operation (<u>6.10.5</u>). The addresses to which SCRs should be sent are shown in <u>Annex 3</u>.

The data should cover the full IATA scheduling period. It should include details of any flights from the preceding scheduling period that extend into the following scheduling period.

In cases where an airline plans a significant increase in operations at a Level 2 airport or at a congested Level 3 airport, the airline should discuss its plans with the schedules facilitator or coordinator and in some cases also with the airport authority, in advance of its submission.

#### 6.5.1 Deadline Dates

The deadline for the submission of data to coordinators for slot clearance purposes is 23:59 UTC on the 35<sup>th</sup> day prior to the start of the SC. In order to assist the coordinator, airlines are encouraged to submit their data as early as possible and not to leave their submissions until the actual deadline date.

Airlines should be readily contactable after making their submissions, in order to attend to rejected messages and/or queries from the coordinator.

Coordinators must immediately confirm receipt of initial slot submissions. Airlines must also check that they have received an acknowledgement of their submission from the coordinator, as the absence of an acknowledgement could mean that the submission has not been received.

Slot submissions sent after 23:59 UTC on the published deadline date will be given lower priority and may be dealt with by coordinators after the initial coordination has been completed.

#### 6.5.2 Formats

Standard procedures and formats must be used for all submissions for airport clearance or advice purposes and for all responses from coordinators. (See Standard Schedules Information Manual (SSIM) Chapter 6). (Summary shown in Appendix 3)

The use of standard formats in a consistent and accurate manner will assist coordinators in producing appropriate responses to airlines in the SALs ( $\underline{6.9}$  and  $\underline{8-Definitions}$ ). Standard SSIM format should also be used whenever possible in dialogue about historic slots, schedule revisions and feedback from coordinators.

Schedule submissions can only be accepted by coordinators from addresses approved by submitting airlines and notified to coordinators.

#### 6.5.3 Protecting Historic Slots

If airlines wish to protect their historic slots when requesting changes, they should apply for these changes using the format specified in SSIM Chapter 6. Airlines should also indicate if they wish to retain their historic slots in the event that the required changes cannot be accepted.



However, if a change of schedule from historic timings is desired for a flight between two or more coordinated airports, an airline may prefer to wait until the SC to make the request to the coordinators or to exchange with other airlines. This action will avoid the risk of the requested change being cleared at one airport but not at the other. Once an airline's request for a change to an historic timing has been accepted by a coordinator, the airline cannot subsequently claim its original historic timing.

Airlines may have flexibility with their new request. The recommended way to indicate this to the Coordinator is to use the Timing Flexibility Identifier as described in SSIM Chapter 6.

If a coordinator notices that an airline has failed to apply for an historic slot agreed with the coordinator as described in <u>6.4</u> above, the coordinator should immediately ask the airline to clarify its submission, if necessary. If no such correction has been received within 24 hours after the coordinator's request, then the slot may be allocated to another airline.

#### 6.6 FLEXIBILITY BY COORDINATORS

To achieve optimum utilisation of the available capacity, coordinators should apply a certain degree of flexibility as outlined below, when allocating slots.

#### 6.6.1 Operational Factors

Airlines do not always operate exactly to the timings published in their schedules. Weather, winds, ATC or technical problems are some of the reasons for such flight time variations. This can be accommodated by using capacity overbooking profiles based on past experience, where applicable to do so.

#### 6.6.2 Season Changeover

Services that commence in the preceding scheduling period and whose last date of operation falls in the first week of the new scheduling period should be accommodated without timing adjustments in the new scheduling period.

#### 6.6.3 Daylight Saving Time

Where there are differences in the start and end dates of Daylight Saving Time at the beginning and end of IATA scheduling periods, schedules for periods of up to 7 days should be cleared as requested. If this clearance can not be confirmed at the SC, then coordinators should clear this period of up to 7 days at the earliest possible date.

In the event that a State plans to introduce Daylight Saving Time, or in any way modify the start and/or end dates, it should take into account WSG <u>5.8</u>, which states that the determination of historic slots should be handled in UTC.

In addition, notice should be given to airlines well in advance of the planned dates of such a change and dialogue should take place between the airlines and the State in order to minimise any adverse effects on airline schedules.

#### 6.6.4 Schedule Disruptions

In the short term, schedules affected by disturbances beyond the airline's control, for example, weather disruptions\*, should be considered operated as originally allocated. Airlines do not need to apply for another slot as a result of these on the day schedule disruptions.

Significant operational variations which affect the following day(s) may require an airline to submit an SCR for a new slot clearance request (SCR) for the following days(s).

When long-term disruptions result in a rescheduling process, the treatment of the slots allocated but not operated because of the disruption, should be discussed and agreed in advance between the coordinator and the airline.

\*At coordinated airports in the EU, different rules may apply (see the EU Slot Regulation).

#### 6.7 ADVICE ON AVAILABILITY OF SLOTS

Airlines may ask the coordinator for advice concerning the likelihood of obtaining new slots or changes to existing slots. However, the coordinator cannot guarantee slots to any airline prior to the initial slot allocation process. The order and timing of submissions made prior to the IATA submission deadline does not affect priorities.

#### 6.8 PRIORITIES FOR COORDINATION

#### 6.8.1 Primary Criteria for Slot Allocation

The prime objective behind the allocation of slots should be to ensure the most efficient use of scarce airport resources in order to maximise the benefits to the greatest number of airport users and to the travelling public.

Against this background, coordinators should allocate the available capacity (6.2) based on the following priorities when developing an initial slot allocation plan for the SC.

#### 6.8.1.1 Historic Precedence

The core of the slot allocation process is the use of historic precedence. This precedence applies only to equivalent, and not to consecutive scheduling periods (e.g. Summer to Summer scheduling periods), and is limited to the equivalent period and days of operation. This principle entitles an airline to claim a series of slots within the same coordination parameter(s) in the next equivalent scheduling period, provided that at least 80% of the slots were operated by the airline as cleared by the coordinator (6.10.7).

The basis for the calculation of historic precedence is outlined in 6.4 and Appendix 4.

#### 6.8.1.2 Changes to Historic Slots

Changes to an historic slot, for operational or other reasons, should have priority over totally new requests for the same slot within the capacity available, where local legislation permits\*.

\*At coordinated airports in the EU, different rules may apply (see the EU Slot Regulation).

#### 6.8.1.3 Slot Pool

Once slots have been allocated at a coordinated airport as outlined in 6.8.1.1 and 6.8.1.2 above, the coordinator should set up a slot pool.



Slots available in the pool should then be allocated to applicant airlines using the criteria set out in sections 6.8.1.4 to 6.8.2 below.

#### 6.8.1.4 New Entrants

Only airlines can be eligible for new entrant status.

Of the slots contained within the slot pool at the initial allocation, 50% must be allocated to new entrants, unless requests by new entrants are less than 50%.

The coordinator shall treat requests of new entrants and other airlines fairly, in accordance with coordination periods of each scheduling day.

Other criteria for allocating slots from the pool are secondary to this criterion.

An airline's slot request should have new entrant status provided that the request, if accepted, would result in the airline holding, in total, fewer than five slots at that airport on that day.

An airline must **not** claim new entrant status if it intends to operate on an ad hoc basis.

A new entrant, who has been offered slots within one hour before or after the time requested, but has not accepted this offer, will not retain new entrant status for that scheduling period.

Airlines shall inform the coordinator, at the time of the request for allocation, whether it would benefit from the status of new entrant in respect of the requested slot.

If new entrants are dissatisfied with the response to their slot request, they may ask for a meeting of the appropriate coordination committee to consider the situation. (6.15).

#### 6.8.1.5 Introduction of Year Round Service

Within each category above, i.e. changes to historic slots, allocations to new entrants and allocations of remaining slots, a request to extend an existing operation to a year round operation should have priority over new slot requests.

Airlines must advise the coordinator that they are requesting slots for year round operation. Coordinators should allow flexibility on timings to cover the differing requirements of short and long-haul services.

#### 6.8.2 Additional Criteria for Slot Allocation

When slots cannot be allocated by the application of the primary criteria as set out above, further consideration should be given to the following factors:

#### Effective Period of Operation

When two or more airlines compete for the same slots, the schedule that will be effective for a longer period of operation in the same scheduling period should have priority.

#### Size and Type of Market

There is a requirement for a mixture of operations at major airports to satisfy the demands of the travelling public.

Domestic/regional/long-haul markets, covering both scheduled and charter services, are part of a total pattern and the size and type of markets and the airport network and links should, therefore, be considered.

#### Competition

Coordinators should try to ensure that due account is taken of the competitive requirements in the allocation of available slots.

#### Curfews

When a curfew at one airport creates a slot problem elsewhere, priority should be given to the airline whose schedule is constrained by the curfew. In order to assist the coordinator, the airline should indicate that it is constrained by a curfew.



#### Requirements of the Travelling Public and Other Users

Coordinators should try to ensure that the needs of the travelling public are met as far as possible.

#### Frequency of Operation

Higher frequency should not in itself imply higher priority. The situation of charter and cargo airlines should be particularly considered in this context.

#### Local Guidelines

The proliferation of local guidelines is to be discouraged. However, conditions vary from airport to airport and therefore, when establishing priorities, the coordinator should take into account necessary local guidelines. Such guidelines must be approved by the local Coordination Committee or its equivalent (6.15).



#### ▲ 6.9 ALLOCATION OF SLOTS BY COORDINATORS

#### 6.9.1 Initial Allocation - SAL

Coordinators must inform each airline of the status of all their requested slots as soon as initial coordination has been completed but no later than 23:59 UTC on the 14<sup>th</sup> day prior to the start of each SC using the SAL message. (See Section 8 – Definitions).



Deadlines — See Calendar of Schedule Coordination Activities

This information should indicate the changes, to each airline's initial submission, if any, that were required in order to keep within the declared coordination parameters. Coordinators should highlight these changes and state the reason for each change. In the event that the requested slot is not available, the coordinator should offer the nearest available timing, and if requested, must also provide at the SC, information on other flights operating within these timings, so that airlines requiring slots can contact the other airlines involved.

Coordinators must use the recognised format for messages as described in Chapter 6 of the Standard Schedules Information Manual (SSIM) (Appendix 3)

As soon as all SAL's are distributed, coordinators must make their database available to all airlines that submitted an SCR for that airport. This database must contain details by airline, of all requested slots and all allocated slots in a format that excludes flight number and route details. The preferred method of accessing this database is via the Internet. Alternatively the data should be provided by the coordinator upon request from any airline.

#### 6.9.2 Pre-Conference Activity

Pre-conference activity can only take place following the distribution of the SALs and should end four days prior to the start of the SC to enable airlines and coordinators to travel to the SC.

Coordinators and schedules facilitators may enter into pre-Conference activity with any airline regarding their schedule requirements subject to the following conditions:

- The coordinator/schedules facilitator has distributed, to all airlines serving the airport full details
  of their slot/timing allocations (SALs) in standard industry format by the SAL deadline at the
  latest;
- The coordinator/schedules facilitator has made available, on request by airlines, the details of all airlines' slot requests and slot allocations at the airport to which the airline is operating in a format that excludes flight number and route details.

The scope of the pre-Conference activity at coordinated and schedules facilitated airports is limited and must not include discussions about airline strategy/plans, suggestions for schedule improvements, new slot requests, significant changes to allocated slot timings or significant increases in aircraft capacity.

Acceptance of initial slot offers, cancellation of unwanted offers, minor changes to slot offers e.g. flight number or destination changes where there is no impact to capacity, timing changes (within the same slot), changes of aircraft type and seat numbers where there is no impact to capacity or capacity is being returned are encouraged in order to reduce unnecessary workload at, and improve the efficiency of, the SC.



At schedules facilitated airports where there are no congestion problems, all types of schedule changes are permitted before the SC because no airline is at any disadvantage by not being able to participate in pre-Conference activity with the schedules facilitator.

Activities beyond the scope of those listed in this section may have legal implications in some parts of the world.

There is no need for a meeting between the coordinator and the airline at the SC, where scheduling problems have been resolved before the SC unless the airline's proposed changes, as mentioned above, cannot be made before the SC.

Initial offers that cannot be accepted immediately will be valid until the first meeting of the airline delegate with the coordinator at the SC.

#### 6.9.3 Before Conference Responsibilities

When a coordinator has distributed the SALs to the airlines, the coordinator must advise IATA Management, by the SAL deadline at the latest, that these messages have been sent at the following address:sked@iata.org. The message sent to IATA must include the relevant scheduling period, airport, and date the SALs were distributed. IATA will display this information against the relevant airport on their website.

If IATA Management has not received an email from the coordinator of a Level 3 airport confirming the distribution of the SALs to the airlines by the industry deadline then IATA Management will contact the coordinator concerned to resolve this problem.

IATA Management will discuss, on an informal basis, problems with compliance with these arrangements with coordinators who regularly fail to distribute SALs by the industry deadline.

#### 6.9.4 Meetings at the Schedules Conference

At the SC, the full details of the slots allocated to each airline must be made available by the coordinator on request from any airline.

The coordinator and airline delegates should meet to discuss any schedule adjustments required and to confirm any agreed changes. Following such confirmation, any further changes to the discussed schedules can only be made by agreement between the coordinator and the airline delegation. Before any discussion can occur the coordinator must be satisfied with delegates' accreditation.

Airline delegates must be fully authorised by their management to make changes to their plans at the SC. If delegates are required to discuss options with their Head Offices before making each change, the progress of the SC is slowed and the resolution of problems becomes more difficult.

#### 6.9.5 Capacity Reductions

When a reduction in available capacity occurs as compared to the previous equivalent scheduling period, a collective solution should be sought from all airlines involved. Any capacity reduction must be submitted for examination by the coordination committee and communicated to IATA and all airlines using the airport as soon as the reduction in capacity is known but no later than the initial submission deadline.



#### 6.10 USE OF SLOTS BY AIRLINES

Slots at an airport are not route, aircraft or flight number specific and may be changed by an airline from one route, or type of service, to another. It should be noted that any transfer, exchange or use other than that for which the slot was originally allocated, **is subject to final confirmation by the coordinator.** 

Such confirmation should be given promptly and should not be withheld unless otherwise coordination parameters would be exceeded or these Guidelines or local laws might be violated.

#### 6.10.1 Exchange of Slots Between Airlines

The exchange of slots between airlines is encouraged. Allocated slots may be freely exchanged, on a one for one basis, at a coordinated airport by any number of airlines.

In the case of newly allocated slots i.e. slots allocated which are not historic slots as described in <u>6.8.1.1</u>, <u>6.8.1.2</u> and <u>6.4</u>, the coordinator may refuse to confirm the exchange if the coordinator is not satisfied that it improves the operating position of the airline to whom those new slots were allocated. Dialogue between coordinator and the airline is essential in such circumstances.

The airlines involved should notify the coordinator of every exchange of slots. After the coordinator confirms the feasibility of the exchange and amends their database, then, if the exchange involves compensation or consideration, the following details will be made available upon request by airlines (e.g. published on the coordinators website) for information purposes only:

- The names of the airlines involved
- The slot time(s) exchanged
- The period of the exchange (e.g. date range, seasons, permanent, etc.)

Except for the above information it is not necessary to make available any other details of the agreement between the airlines.

Slot exchanges for compensation or consideration may only take place where they are not prohibited by the laws of the relevant country.

#### 6.10.2 Transfer of Slots Between Airlines

Slot transfers between airlines may only take place where they are not prohibited by the laws of the relevant country. Slots may only be transferred to another airline that is serving or planning to serve the same airport.

The transfer of newly allocated slots is not permitted until such slots have been operated for two equivalent scheduling periods. This is to prevent airlines taking advantage of an enhanced priority, such as new entrant status, to obtain slots simply to transfer them to another airline.

The airlines involved must notify the coordinator of every transfer of slots. After the coordinator confirms the feasibility of the transfer and amends his/her database then if the transfer involves compensation or consideration the following details will be made available upon request by airlines for informational purposes only:

- The names of the airlines involved
- The slot time(s) transferred
- The period of the transfer (e.g. date range, season(s), permanent, etc.)

Except for the above information it is not necessary to make available any other details of the agreement between the airlines

Slot transfers for compensation or consideration may only take place where they are not prohibited by the laws of the relevant country.



#### 6.10.3 Holding and Returning of Slots

Airlines must not hold slots which they do not intend to operate, transfer or exchange, as this could prevent other airlines from obtaining slots. In this context "operate" includes participation in a shared operation.

If an airline becomes aware that for whatever reason it may not be able to use a slot, or series of slots, the airline must immediately advise the coordinator, and return any slots it knows it will not use. Even at very short notice, returned slots can often be reallocated for ad-hoc use. Airlines should maintain a dialogue with the coordinator in such circumstances.

In particular, series of slots that an airline does not intend to operate must be returned no later than the IATA Slot Handback Deadline (15 January for Summer seasons and 15 August for Winter seasons).

Airlines that intentionally hold on to slots and return them after the IATA Slot Handback Deadline will be given lower priority by the coordinator for the next equivalent scheduling period.



**Deadlines** — See Calendar of Schedule Coordination Activities

A list of airlines that return series of slots after the IATA Slot Handback Deadline will be published each season by the coordinator.

This list will indicate the total number of slots held by each airline on the IATA Slot Handback Deadline (SHD) compared with the total number of slots held by each airline at the Start of the Season (SOS) and the end of the season (EOS) to show the percentage (%) of the airlines' slots at that airport at these deadlines.

For example:

			Summer 20	05				Summer 20	006		Summer 2007					
			Late		Late			Late		Late			Late		Late	
	Slots	Slots	Handback	Slots	Handback	Slots	Slots	Handback	Slots	Handback	Slots	Slots	Handback	Slots	Handback	
	Held at	Held at	(SHD-	Held at	(SHD-	Held at	Held at	(SHD-	Held at	(SHD-	Held at	Held at	(SHD-	Held at	(SHD-	
Airline	SHD	SOS	SOS)	EOS	EOS)	SHD	SOS	SOS)	EOS	EOS)	SHD	SOS	SOS)	EOS	EOS)	
XXX	868	820	5.5%	800	8.5%	550	500	9.0%	450	18.2%	868	800	7.8%	800	0.0%	

Each list should contain separate figures for the three most recent equivalent consecutive seasons.

Care should be taken in interpreting these figures which may include the cancellation of slots for operational reasons (e.g. closure of airport or airspace) or commercial reasons (e.g. Public Holidays).

#### 6.10.4 Responsibility for Slot Requests and Historic Precedence

At all times, responsibility for ensuring that the necessary slots have been allocated by the coordinator and for meeting the criteria required to qualify for historic precedence, lies with the airline actually operating the service, even if operating the slots under an agreement with another airline.



#### 6.10.5 Shared Operations

In the case of joint, codesharing, or any other operations involving voluntary co-operation between airlines, only one of the participating airlines can apply for each required slot. Slots held by an airline may be used by (an) other participating airline(s) for their shared operation, provided that the designator of the airline to whom the slots were originally allocated remains on the shared flight for coordination and monitoring purposes.

Airlines involved in shared operations shall advise the coordinator of details of such operations prior to the beginning of such operations.

#### 6.10.6 Intentional Misuse of Allocated Slots

Airlines must not intentionally operate services at a time significantly different from the allocated slots. Airlines that do so on a regular basis will not be entitled to historic precedence for either the times they operated or for the times allocated.

The coordinator should not deny an airline historic precedence without dialogue with the airline concerned. If, by the submission deadline, the airline does not respond to the dialogue initiated by the coordinator, then the decision of the coordinator shall prevail.

The coordination committee or slot performance committee if one exists, (6.15) should assist the coordinator in monitoring slot performance and, where necessary, should recommend disciplinary action, initiated through the appropriate body, against any particular airline that intentionally fails to adhere to its allocated slots.

If an airline is dissatisfied in its dealings with a coordinator, it may wish to refer the matter to the coordination committee of the airport concerned or to another suitable committee. In such an event, the coordinator should consider not reallocating the slots in dispute until the process has been concluded.

Airlines must not operate flights at a coordinated airport without the necessary slots. Any airline that does so will be requested by the coordinator to stop. If the airline concerned continues to operate without slots, the matter will be brought to the attention of the airport's coordination committee, or other suitable committee, which will decide on the action to be taken.

The following actions also constitute slot abuse:

- 1. The holding of slots, which an airline does not intend to operate, transfer or exchange;
- 2. The holding of a slot for an operation other than that planned which has the intention of denying capacity to another aircraft operator;
- 3. The requesting of new slots which an airline does not intend to operate;
- 4. The requesting of a slot for an operation other than that planned, with the intention of gaining improved priority. This includes, but is not limited to, applying for full season when only part season is planned; applying to use a large aircraft when a small aircraft is planned; applying to extend an existing operation to a year round service when year round service is not planned; the requesting of slots as a new entrant when new entrant status is not applicable.

Whilst the above actions constitute slot abuse, legitimate changes of plans may produce similar effects, making slot abuse difficult to judge. For these actions it is especially important, that the coordinator requests the assistance of the coordination committee, particularly the Slot Performance Sub-Committee, if one has been established (see Annex 1, Section 5).

One of the options to be considered in the event of continued abuse of the coordination system by an aircraft operator is a lower priority for that aircraft operator's future slot requests. As a last resort, the regulatory authority for the airport concerned may be asked to intervene.

The statements outlined above, in relation to misuse of slots and abuse of the coordination system, may also apply to other aircraft operators. However, this document only deals with the circumstances governing airlines.

#### 6.10.7 Use It or Lose It Provision

A series of slots which have been allocated to an airline will not be granted historic precedence in the next equivalent scheduling period, unless the airline can demonstrate to the satisfaction of the coordinator, that they have been operated, as cleared by the coordinator, for at least 80% of the time during the period for which they have been allocated. (See <a href="Appendix 4">Appendix 4</a> — Basis for the Calculation of Historic Slots)

Slots held by an airline on 31 January for the following Summer scheduling period, or on 31 August for the following Winter scheduling period, will be taken into account for the purposes of the usage calculation.

In calculating 80% usage for the series of slots as outlined above, slots not used will be treated as operated, if the non-utilisation is justified for any of the following reasons:

- (a) Interruption of the air services of the airline concerned due to unforeseeable and irresistible causes outside the airline's control, for example, cancellations due to weather\*;
- (b) Action intended to affect these services, which prevents the airline from carrying out operations as planned.

Airlines should seek confirmation from the coordinator, that such flights will be treated as operated, as soon as possible after the cancellation of the flights.

Slot monitoring is based on observations made during the scheduling period. Coordinators should provide feedback to airlines on problem flights during the scheduling period.

For Summer scheduling periods, feedback to airlines prior to SCs will be based on actual data up to the latest date possible. Information given to airlines prior to the SC deadline must only be considered as provisional until the scheduling period is completed.

Any action taken by the coordinator must be clearly communicated to the airline concerned, and the airline may submit its case for mediation to the Coordination Committee (see Section 7) or another suitable committee.

\*At coordinated airports in the EU, different rules may apply (see the EU Slot Regulation).

#### 6.10.8 Slots of an Airline Which Ceases to Operate

Any airline which ceases operations must immediately return all the allocated slots for the rest of the scheduling period and for the next scheduling period (if already allocated), or advise the coordinator that it will ensure use of those slots.

Unless advised otherwise by the airline, the coordinator should not assume that cessation of operations in one scheduling period will mean slots allocated or requested in the next scheduling period will not be used. Furthermore, the airline should advise the coordinator whether it intends to seek the use of the slots in the future.

If an airline fails to provide the necessary advice by a deadline date agreed between the parties, then the coordinator should withdraw and reallocate the slots involved to avoid wasting scarce airport capacity.



#### 6.11 AFTER CONFERENCE ACTIVITY/SLOT REALLOCATION PROCESS

#### 6.11.1 Activity by Coordinators After the Conference

Although the SC is the initial forum for the reallocation of slots, the work of coordinators in allocating slots for a particular scheduling period continues after the close of the SC. Reallocation is a continuous process therefore all schedule change requests must be processed by coordinators as soon as possible.

#### 6.11.2 Reallocation of Slots

Coordinators must maintain a record of all outstanding slot requests and review them regularly, during and after the SC, and especially after the IATA Slot Handback Deadline. Coordinators should try to satisfy all outstanding slot requests as soon as possible using the priorities outlined in section 6.8 as reference.

The prime objective behind the reallocation of slots should be to ensure the most efficient use of scarce airport resources in order to maximize the benefits to the greatest number of airport users and to the travelling public.

It is important that the priority in dealing with outstanding slot requests is given to those requests submitted before the submission deadline.



**Deadlines** — See Calendar of Schedule Coordination Activities

#### 6.11.3 Changes to Schedules After the Schedules Conference

If a new or revised slot request is received by a coordinator after the SC, it may not be possible to confirm the request. Whenever possible, the coordinator will try to offer the nearest available alternative slot to the requested timings and provide the reason why the original request could not be granted.

#### 6.11.3.1 Outstanding Requests

Coordinators should regularly ask airlines to confirm that they wish to keep their outstanding slot requests in the coordinator's database. Airlines can specify the timing flexibility of their slot request to the coordinator if required. Whenever the coordinator considers it necessary, particularly around the IATA Slot Handback Deadlines and just before the start of each new season, these updates should be requested from the airlines. The coordinator should set a reasonable deadline for the air carrier to confirm their outstanding slot requests and if there is no reply then the requests may be considered as no longer valid and may then be deleted from the coordinator's database.

#### 6.11.3.2 Return of Slots That an Airline Does Not Intend to Operate, Transfer or Exchange

Airlines must immediately notify the coordinator when their schedule plans change. In particular, airlines must not hold slots that they do not intend to operate, transfer or exchange. These slots must be returned to the coordinator promptly so that other airlines with outstanding requests have an opportunity to be allocated any vacated slots.

#### 6.11.3.3 Follow up to Slot Offers

If a coordinator has not replied to a slot request within three business days, the airline should contact the coordinator for clarification of the position and must not assume that the request has been confirmed. Offers made by the coordinator are valid for three business days, unless



otherwise stated. Airlines must accept or reject an offer within this time limit or obtain an extension of the time limit from the coordinator.

#### 6.11.3.4 Deletion of Requests Without Allocated Slots (no-slots)

Slot requests without any allocated slot should be deleted by the coordinator immediately after the IATA Slot Handback Deadline, unless the airline requests that these are maintained in the coordinator's database.

#### 6.11.3.5 On-the-day Schedule Changes

Slots are allocated for planning purposes. Slot requests are submitted to the coordinator using an SCR.

SCR's must also be used to request services planned on-the-day of operation, e.g. a new positioning flight, and must receive clearance from the coordinator before operating.

Airlines should not notify coordinators on-the-day of equipment changes and/or operational variations (e.g. delayed flights, weather disruptions, etc) to their allocated slots.

Only significant operational variations which affect the following day(s) may require an airline to submit an SCR for a new slot clearance request (SCR) for the following day(s).

The coordinator should be notified of all slots that are no longer required so that they can be reallocated to other carriers. Even on-the-day cancellations should be notified to the coordinator using an SCR.

#### 6.11.4 Clearance of Ad-hoc Requests

During the course of each scheduling period, coordinators must action requests from airlines and general aviation operators for ad-hoc services.

Approval of ad-hoc operations too early in the coordination process could lead to the refusal of an airline request for a series of slots, because some of the required dates would already be allocated to the ad-hoc operations.

It is recommended that requests to the coordinator for ad-hoc slots should be considered only after the IATA Slot Handback Deadline, when requests for series of slots have been satisfied to the maximum extent possible. This procedure is advantageous because the supply of slots available for ad-hoc operations is at its maximum after the IATA Slot Handback Deadline.

Ad-hoc slot requests or ad-hoc cancellations which can be processed without risk of subsequent refusal of a request for a series of slots, should be processed as soon as possible.

In some exceptional cases, it may be necessary for the coordinator to consider ad-hoc requests before the IATA Slot Handback Deadline, in order to give operators sufficient advanced notice of the slots, which can be allocated. For example, when the Easter holiday occurs at the start of a Summer scheduling period, the coordinator should respond to requests for ad-hoc operations during this period as soon as it is practical to do so, without prejudice to the use of slots for the remainder of the scheduling period.

#### 6.11.5 Listings of Allocated Slots

Coordinators should publish updated listings of all allocated slots on a website accessible via the Internet, so that airlines may have the opportunity to verify the allocated slots they hold.

If the information is not available on the Internet, coordinators should supply a listing of allocated slots and outstanding requests upon request by the airline.



#### 6.11.6 Change of Coordinator During the Season

When the day-to-day coordination at an airport is undertaken by an agency separate from the one participating at the SC, the date of transfer of this authority must be notified as soon as possible to all airlines operating at that airport.

#### 6.12 SLOTS ALLOCATED PRIOR TO TRAFFIC RIGHTS OR OPERATING LICENCE

Slots may be requested by an airline for flights for which it does not yet hold all the required traffic rights. If available, the slots should be allocated by the coordinator in accordance with the normal allocation procedures. If an airline holding such provisional slots does not receive the required traffic rights, then the coordinator must be advised immediately.

An airline may request slots although it has yet to obtain the necessary operating licences. In this instance, the coordinator may reserve slots on a temporary basis. The status of the airline's operating licence and/or traffic rights should be reviewed with the coordinator by 15 January for a Summer season or by 15 August for a Winter season, or at a later date agreed with the coordinator.

#### 6.13 SLOTS OF AN AIRLINE WHICH LOSES ITS OPERATING LICENCE

Slots can only be held by an airline with a valid operating licence. If an airline ceases to hold a valid operating licence, its slots revert to the appropriate coordinators. However, the representatives of the airline may enter into dialogue with the coordinators regarding future use of the slots involved. This may mean that the slots are reserved by the coordinator pending either reinstatement of the airline's operating licence or a legally authorised takeover of the airline's activities. The status of the airline should be reviewed by the relevant coordinators at 30-day intervals. If dialogue has not been initiated within 30-days of the airline losing its operating licence, and if there is no legal protection linked to insolvency under national law, then the relevant coordinator should reallocate the slots involved.

#### 6.14 SLOTS ALLOCATED WITHOUT HISTORIC PRECEDENCE

When for exceptional reasons (e.g. UN sanctions) an airline is prevented from operating its historic slots, coordinators may allocate those slots on a temporary basis to another airline. Temporary usage of such slots by an airline does not entitle it to claim them as historic slots. Historic precedence will in this case remain with the original airline provided it continues to apply for its historic slots in subsequent scheduling periods.

#### 6.15 COORDINATION COMMITTEES

The establishment of a coordination committee at coordinated airports is encouraged. Membership of these committees is open to the airlines using the airport(s) regularly and their representative organisations, the managing body of the airport, air traffic control authorities and representatives of general aviation using the airport regularly. The same coordination committee may be designated for more than one airport. The terms of reference of a typical coordination committee are shown in Annex 1.

There are two important Sections which users will find useful to read in conjunction with Section 6 above, the <u>Calendar of Schedule Coordination</u> <u>Activities</u> shows activities in chronological format and <u>Appendix 7</u> provides a summary checklist of what to do and what not to do in relation to the Coordination process.



#### **SECTION 7 - MEDIATION**

Where there are complaints about the allocation of slots, which cannot be resolved between the airline and coordinator concerned, in a mutually acceptable way, mediation should be sought through the appropriate coordination committee. If the problem cannot be resolved after consideration by the coordination committee further mediation is available through the IATA Joint Scheduling Advisory Group (JSAG).

▲ Should this be required, the Head of Airport, Inflight & Scheduling or a member of the JSAG should be contacted to arrange such mediation.

Where local guidelines or regulations dealing with the mediation process exist, these will take precedence.



#### Section 8 - DEFINITIONS AND ABBREVIATIONS

ACI: Airports Council International

Ad-hoc: A term used to describe a slot to which historic precedence does not apply.

**Air Carrier:** An air transport undertaking holding a valid operating licence or equivalent authorisation from a state at the latest by 31 January for the following summer scheduling period or by 31 August for the following winter scheduling period. The air carrier may be engaged in schedule, charter or business aviation.

Airport Managing Body: The body which has the task of administering and managing the airport facilities.

AppCal: IATA Appointments Calendar

ATC: Air Traffic Control

**Bilateral Air Service Agreement:** An agreement between two governments allowing the operation of commercial air services on nominated routings and through nominated airports.

**Business Days:** In the context of this document, business days refers to business days in the country of the message originator.

Capacity Analysis: The process of determining the maximum capacity of an airport taking into account all operational and environmental constraints at the airport.

A thorough capacity analysis, using commonly recognised methods, should be conducted by the airport or any other competent body whenever an airport is considering changing its status or when there have been changes at the airport that significantly influences its capacity and capacity usage, for example caused by new or modified infrastructure or significant operational changes.

One objective of the capacity analysis is to determine any shortfall in airport capacity compared with the demand and should include the options for overcoming such shortfalls. The analysis should also examine the critical sub-systems and consider the practicalities of removing operational and/or environmental constraints through infrastructure or operational changes and improvements.

The results of the capacity analysis and the method used to determine the airport capacity should be made available upon request to all interested parties See Appendix 5.

Codesharing: See Shared Operations.

Coordinated Airport (Level 3): An airport where, in order to land or take off, during the periods for which it is coordinated, it is necessary for an air carrier or any other aircraft operator to have a slot allocated by a coordinator.

Coordination Committee: See Annex 1.

**Coordination Parameters:** These are the operational limits of all technical, operational and environmental factors and their different sub-systems, e.g. the number of runway movements permitted per hour, which are applied by the coordinator to the capacity at a Level 3 airport during each coordination period.

The coordination parameters are decided twice each year, before the initial coordination for each scheduling period, between all the stakeholders, normally at meetings of the Coordination Committee or an equivalent representative body.

**Coordination Period:** Time window during which the coordination parameters apply.

**Coordinator:** Natural or legal person with detailed knowledge of airline scheduling coordination, responsible for the allocation of slots at a coordinated airport.

DST: Daylight Saving Time

▲ Equivalent Scheduling Periods: 'Equivalent' Scheduling Periods means consecutive Summer seasons (two summers) or consecutive Winter seasons (two winters) as opposed to two consecutive seasons (a summer and a winter season). This definition is used in the determination of historic slots whereby airlines are entitled to claim as historic a series of slots which have been allocated to and operated by them, as cleared by the Coordinator for the next equivalent scheduling period.

EU: European Union



**EUACA:** European Union Airport Coordinators Association.

**EU Slot Regulation**: Regulation (EC) No 793/2004 of the European Parliament amending Council Regulation (EEC) No 95/93 on common rules for the allocation of slots at Community airports.

EOS: End of Season

*Flight*: The operation of one or more legs with the same Flight Designator.

**Handling Agent:** Describes the person or organisation that represents an airline at an airport in for instance, the areas of passenger or cargo services, or aircraft dispatch.

*Historic Precedence:* The principle whereby airlines are entitled to a series of slots which have been allocated to and operated by them, as cleared by the Coordinator in the next equivalent scheduling period.

HoD: Head of Delegation

IACA: International Air Carrier Association.

*IATA:* International Air Transport Association, which is responsible for organising the Schedules Conference (SC) and for producing this document.

IATA Slot Handback Deadline: The IATA Slot Handback Deadline (SHD) is 15 January for the Summer season and 15 August for the Winter season. The purpose of the IATA Slot Handback Deadline is to encourage airlines to return slots they do not intend to operate transfer or exchange and to facilitate the reallocation of slots before the start of the scheduling season.

ICAO: International Civil Aviation Organisation.

Joint Operation Flight: See Shared Operations.

Joint Scheduling Advisory Group (JSAG): See Annex 1 for Terms of Reference.

Level 1: See Non Coordinated Airport.

Level 2: See Schedules Facilitated Airport.

Level 3: See Coordinated Airport.

MCT: Minimum Connection Time

**New Entrant:** An airline requesting a series of slots at an airport on any day, where if the airline's request was accepted, it would hold fewer than five slots at that airport on that day.

**New Slots:** Series of slots allocated other than as historic slots or as a change to historic slots.

Non Coordinated Airport (Level 1): An airport where the capacities of all the systems at the airport are adequate to meet the demands of users.

Pool: See Slot Pool.

▲ SAL (Slot Initial Allocation List): Standard message used by coordinators to inform airlines how their requested slots have been preliminarily confirmed, altered or refused. SAL format is also used by schedules facilitators to advise airlines of the timings held in the facilitator's data base at Level 2 airports.

**SC Schedules Conference:** A forum organised by IATA for the coordination of airline schedules held twice each year to coincide with the commercial aviation industry's two scheduling periods.

**Scheduling Calendar:** The calendar of schedule coordination activities (page vii).

**Schedules Facilitated Airport (Level 2):** An airport where there is potential for congestion at some periods of the day or week, which is likely to be resolved by voluntary co-operation between airlines.

**Schedules Facilitator:** A person appointed by the appropriate authority to collect and review airline schedules at Level 2 airports, and to recommend schedule adjustments as necessary.

**Scheduling Parameters:** These are the operational limits of all technical, operational and environmental factors and their different sub-systems, e.g. the number of runway movements that can be scheduled per hour, which are applied by the schedules facilitator to the capacity at a Level 2 airport during each coordination period.



Normally the scheduling parameters are decided twice each year, before the initial coordination for each scheduling period, between all the stakeholders at the airport.

**Scheduling Period:** Either the Summer or Winter season, i.e. Northern Summer to commence on the date of DST introduction in the EU; Northern Winter to commence on the last Sunday in October. See also <u>Equivalent Scheduling Periods</u>.

Schedule Policy Working Group (SPWG): See Annex 1 for Terms of Reference.

**SCR** (Slot Clearance Request/Reply): Standard message used by airlines and coordinators, for planning purposes for the clearance of flights at coordinated airports (Level 3). SCRs should not be used to notify coordinators of on-the-day operational variations.

**Series of Slots:** At least five slots having been requested for the same time on the same day of the week regularly in the same scheduling period and allocated in the same way or, if that is not possible, allocated at approximately the same time. In this context, the expression 'same time' means within the same coordination parameters.

**Shared Operations:** A generic term referring to various types of operational or commercial arrangements between two or more airlines. Examples of shared operations are:

- **Codesharing:** A term describing flights which, although operated by a single operator, may be shared in commercial terms with any number of other operators normally through interline agreements.
- **Joint Operation Flight:** A flight on which more than one airline operates one or more of its legs. Only one Flight Designator exists for each operating flight.

**SHL** (Slots Historic and Non-Historic Allocation List): Standard message used by coordinators to inform airlines of the status of their slots for historic precedence.

SISC: Schedules Information Standards Committee. See Annex 1 for Terms of Reference.

**Slot:** The scheduled time of arrival or departure available for allocation by, or as allocated by, a coordinator for an aircraft movement on a specific date at a coordinated airport. For scheduling purposes, the slot is the scheduled time of arrival or departure at the terminal, not the time of landing or takeoff from the runway. An allocated slot will take account of all the coordination parameters at the airport e.g. runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), environmental constraints e.g. night restrictions etc.

Slot Exchange: A process whereby allocated slots are exchanged between airlines.

**Slot Monitoring:** An analysis carried out by coordinators to measure the extent to which airlines have operated to the slots allocated to them.

Slot Performance Sub-Committee: See Annex 1

**Slot Pool:** The slots available at a coordinated airport after historic slots have been allocated and schedule changes to historic slots processed.

Slot Swap: See Slot Exchange.

**Slot Transfer:** A process whereby slots may be transferred from one airline to another operating at the same airport, under special conditions (See 6.10.2).

**SMA** (Schedule Movement Advice): Standard message used for the submission of schedule data to schedules facilitators at Level 2 airports, or other entities acting as data collection agents at Level 1 airports.

SOS: Start of Season

**SSIM:** IATA Standard Schedules Information Manual. This Manual contains an official set of Recommended Practices, which is intended to guide the aviation industry along mutually compatible lines, in the development of schedules data handling procedures. See <a href="Appendix 3">Appendix 3</a>.

**Submission Deadline:** The deadline for airlines to submit their schedules to coordinators for slot clearance purposes is the 35<sup>th</sup> day prior to the start of the SC.

Summer: See Scheduling Period



ToR: Terms of Reference

**Use it or Lose it:** Describes a requirement for airlines to operate at least 80% of their allocated slots, held on 31 January for the Summer scheduling period and 31 August for the Winter scheduling period deadlines, to their coordinated timings, or face the possible loss of historic precedence for those particular slots in the next equivalent scheduling period.

**UTC:** Universal Time Coordinated. Also referred to as Z or GMT. All slots, including historic slots, are expressed in UTC, unless agreed procedures allow for the use of local time.

Winter: See Scheduling Period.

**WWACG:** Worldwide Airport Coordinators Group.

**Year Round Operation:** A new service which has a series of slots with the potential to achieve historic precedence in the preceding season, and which has been requested at a similar time on the same day(s) of operation to the same destination as in the preceding scheduling period, will be considered as a year round service. "Similar time" means close to the UTC or local time of the requested or cleared series of slots in the preceding scheduling period.

40



This appendix outlines the Terms of Reference for the IATA Schedules Conference, and describes the working arrangements for the SC.

#### APPENDIX 1 - IATA SCHEDULES CONFERENCE

#### PART 1: TERMS OF REFERENCE

The objective of this voluntary assembly of both IATA and non-IATA airlines worldwide, is to provide a forum for the allocation of slots at coordinated airports (Level 3), and for the reaching of consensus on the schedule adjustments necessary to conform to the limitations of airport capacity at schedules facilitated airports (Level 2).

Other matters relating to schedule coordination must be dealt with independently of the IATA Schedules Conferences (SCs). Specifically, SCs are not a forum for discussions or agreements involving the allocation of aircraft capacity, pooling operations, division of markets, or any other commercial arrangements relating to pricing, market entry, or aircraft capacity. Delegates should not engage in such discussions in preparation for the IATA Schedules Conferences and must refrain from initiating or participating in such discussions during these Conferences.

#### **PROCEDURES**

SCs will be held twice each year, for the purposes set out above, in accordance with the following procedures:

- (a) SCs will be convened by the IATA Management;
- (b) The SC held in Summer will deal with Winter schedules effective later in the same year, and the SC held at the beginning of Winter will deal with Summer schedules for the following year;
- (c) Delegates to the SC need to have the authority to make schedule changes on behalf of their companies and should be available throughout the SC;
- (d) IATA will publish at each SC the calendar of activities for the subsequent season's coordination process (Calendar of Schedule Coordination Activities).

#### PART 2: STANDING WORKING ARRANGEMENTS

#### 1. ELIGIBILITY TO ATTEND THE IATA SCHEDULES CONFERENCE

The following are eligible to attend the SC

- (a) Any airline
  - which is licensed to operate air services or which has applied for a licence to operate air services; and
  - (ii) which wishes to attend for the purposes outlined in the Terms of Reference of the IATA Schedules Conference.

Airlines wishing to attend an SC for the first time are requested to contact the IATA Secretariat, (see address on <u>Page vi</u> of this document) at least 30 days in advance so that prior administrative arrangements may be made, and so that they may be briefed regarding their participation.



Airlines wishing to nominate other organisations to represent them at the SC are asked to comply with the same conditions as new attendees.

- (b) Coordinators, provided they:
  - (i) have been officially approved by their government;
  - (ii) have a detailed knowledge of airline scheduling and slot allocation;
  - (iii) act in a neutral, non-discriminatory and transparent manner;
  - (iv) advise the Secretariat in advance.
- (c) Schedules facilitators, provided they:
  - have been appointed by the appropriate authority;
  - (ii) have a detailed knowledge of airline scheduling;
  - (iii) act in a neutral, non-discriminatory and transparent manner;
  - (iv) advise the Secretariat in advance.

All airlines, coordinators and schedules facilitators attending an SC must provide a completed accreditation form, showing the names of its accredited representative and alternate, to the SC Secretariat at registration time.

#### 2. MEETING DATES

The IATA Schedules Conference will commence 14 Days after the SAL deadline.

#### 3. SCHEDULE UPDATING

At the SC, delegates should make available, when possible, an updated master copy of their own schedules to any interested party.

#### 4. ABSENTEE AIRLINES

#### 4.1 Non-Attendance at Schedules Conferences

Airlines who for various reasons cannot, or do not, attend an SC are nevertheless expected to submit their requirements to coordinators by the due dates and, where possible, to submit their full schedules to the SC.

#### 4.2 Action to be Taken by Non-Attending Airlines

Such airlines should make available to the Secretary of the SC, a telephone or Teletype contact which will be available during the period of each SC for consultation. Following each SC such airlines shall be contacted by coordinators in writing regarding the status of their slot requirements.

#### 4.3 Priorities to Non-Attending Airlines

While any applicable slot priorities will normally be exercised by coordinators on behalf of absent airlines, it is very much in their own interests that airlines should either attend the SCs or be represented by someone else empowered to adjust their schedules.



#### 5. DISTRIBUTION OF SLOT AND SCHEDULE INFORMATION

In order to facilitate airline to airline activities after the distribution of SALs and before the start of the SC, coordinators and schedules facilitators will make available on request, their database to all airlines that submitted an SCR for that airport. This database must contain details by airline, of all requested slots and all allocated slots in a format that excludes flight number and route details. The preferred method of accessing this database is via the Internet. Alternatively the data should be provided by the coordinator upon request from any airline. (6.9)

However, coordinators and schedule facilitators must not release to any other organisation or individual details of data submitted by an airline prior to the start of the SC. If there is a need, for planning purposes, to provide some data in advance to airport managing bodies or other interested parties, this should be done in summary format only.

#### 6. PREPARATORY WORK BY COORDINATORS

The period between the data submission date and the opening of the SC is available to coordinators for the purposes of:

- (a) data preparation and analysis;
- (b) initial coordination;
- (c) preparation of responses to airlines;
- (d) sending feedback to airlines on their schedule submissions;
- (e) confirming to IATA their distribution of SHLs and SALs.

Coordinators and schedules facilitators must send feedback (SALs) to each airline on it's own schedules no later than 23:59UTC on the 9<sup>th</sup> day prior to the start of the SC.

Coordinators must use the normal provisions as described in Chapter 6 of the Standard Schedules Information Manual (SSIM) (Summary shown in <u>Appendix 3</u>)

Coordinators and schedules facilitators must not enter into a dialogue with any airline regarding their schedule requirements during the period between schedule submission and the start of the SC.

Any airline may advise coordinators or schedule facilitators by telex or e-mail of changes they would like to make based on the feedback they have received, if this enables the airline and/or the coordinator or schedule facilitator to be better prepared at the start of the SC. As an example, cancellation of slots offered, flight number changes, etc. can all be sent to the coordinator or schedule facilitator in advance of the SC, but no issues affecting the timings can be discussed.

Because the coordinator or schedule facilitator may be travelling to the SC during this period, airlines must bring a copy of any messages sent to them to the SC.

#### 7. CLEARANCE OF SLOTS FOR THE CURRENT SEASON

Coordinators should ensure that adequate facilities are made available during each SC to deal with schedule clearance requests for the current scheduling period.

#### 8. FAIRNESS AND TRANSPARENCY

In the interests of fairness and transparency, coordinators must make available, upon request, the following information for review by all interested parties:

- (a) Historic slots by airline and chronologically for all airlines;
- (b) Requested slots (initial submissions) by airline and chronologically for all airlines;
- (c) All allocated slots, and outstanding slot requests, by airline and chronologically for all airlines;
- (d) Remaining slots available;
- (e) Comparisons between (a) and (c) above by time interval coordinated and by airline;
- (f) Full details of the coordination parameters and the constraints being used;
- (g) Full details of the criteria being used in the allocation of slots.

#### 9. APPOINTMENTS WITH COORDINATORS

Appointments with coordinators should be made using the IATA Appointments Calendar (Appendix 2). Coordinators should set up their Appointment Calendars one week before the SAL Deadline. For full details and instructions on how to use the IATA Appointments Calendar, airlines and coordinators should consult the "Help File" which can be found at: <a href="http://appcal.pdc.dk/appcalhelp">http://appcal.pdc.dk/appcalhelp</a>. In addition, all coordinators should be available in their SC work rooms between 16h00 and 18h00 on the day prior to the start of the SC so that appointments can be made with those coordinators and airlines that do not have Internet access. Coordinators should organise their resources and necessary appointments so as to ensure that all airlines who need to meet the coordinator are met initially during the first two days after the opening of the SC.

In order to make best use of the time available at the SC, airlines should not make non-critical schedule changes, e.g. flight number changes, during the first three days of the SC. Discussion of such issues must be postponed until the majority of airlines have had their appointments with the coordinator or schedule facilitator to discuss their scheduling problems.

When an appointment has been made, delegates should be on time and should bring all relevant documents with them. If, for some reason, an appointment must be cancelled, the coordinator should be advised immediately so that alternative arrangements can be made.

In order to maintain the efficiency of the SC, coordinators should manage their activities in order to be prepared to meet with airline delegates at the agreed appointment time.

#### 10. AVAILABILITY OF AIRLINES AND COORDINATORS

It is essential that **all** airlines and **all** coordinators should be available **throughout** the working hours of the SC as problems can arise at any time during the SC, which may necessitate a dialogue between airlines or between airlines and coordinators, in order to resolve the problem.

#### 11. AUTHORISATION TO ACCEPT CHANGES TO SCHEDULES

Delegates should be fully authorised by their management to make changes to their programs at the SC.

#### 12. DISCUSSIONS AFTER THE IATA SCHEDULES CONFERENCE

Where particular problems at a schedules facilitated airport (Level 2) are still outstanding at the end of the SC, these should be reported to IATA Management before the Heads of Delegation Meeting. The airlines concerned will thus be aware of the possible need to involve themselves in discussions after the SC to resolve such outstanding problems.



#### 13 MESSAGE BOXES

To facilitate communications between parties at the SC, a message box postal system will be made available by the Secretariat for document distribution and general communication purposes. All participants should note the need to check frequently as to whether any documents or messages are in their message box.

#### 14. NAME BADGES

It is expected that delegates to SCs will wear badges to indicate their name and whom they represent.

#### 15. OFFICE FUNCTION DESIGNATOR

It is a recommended practice of the SC that the Office Function Designator "SP" is adopted by all airline Schedule Planning Departments.

## 16. SUBMISSION OF AGENDA ITEMS FOR REVIEW AT THE IATA SCHEDULES CONFERENCE

In order to streamline SC activities, it is recommended that agenda items requiring detailed consideration be submitted to IATA Management at least thirty days prior to the start of the SCs.

#### 17. STANDARD SCHEDULES INFORMATION MANUAL (SSIM)

All delegates should familiarise themselves with the Standard Schedules Information Manual (SSIM), particularly Chapter 6. There is a summary in <u>Appendix 3</u> of this document.

#### 18. MEDIATION SYSTEM

The mediation system referred to in <u>Section 7</u> of this document is available both during and after SCs upon request of the parties involved.

## 19. NON-AIRLINE PERSONNEL ATTENDANCE AT THE IATA SCHEDULES CONFERENCE

SC policy requires that only persons covered under paragraph 1 above shall be permitted to attend SCs as airline participants, coordinators or as schedules facilitators. However, in the case of government officials, airport operators or their representatives or any other non-airline representatives, exceptions to this policy may be made. In the case of airport operators, their representatives or other non-airline representatives, exceptions may be granted by IATA for the purpose of familiarisation and normally for only one SC.

All such non-airline representatives will be identified separately in the records of the SCs. They may attend general SC sessions only by express invitation of IATA. Non-airline participants can be allowed into coordinators' offices and can observe bilateral discussions only with the express agreement of both the airlines and the coordinators or facilitators involved. They must not participate in any way in the coordination activity of any airport.

Any person not covered under paragraph 1, wishing to be invited to a SC should apply at least thirty days in advance of the SC at which attendance is requested to:

Head of Airport, Inflight & Scheduling IATA

Route de l'Aeroport 33, P.O. Box 416 1215 Geneva 15 Airport, Switzerland Telephone: +41 22 770 2738

Fax: +41 22 770 2662 Email: <u>sked@iata.org</u>



Intentionally left blank.



#### APPENDIX 2 - IATA APPOINTMENTS CALENDAR

The IATA Appointments Calendar (AppCal) is a web based tool designed to facilitate the IATA Schedules Conference (SC) appointment making process between the different participants. Participants in the SC can complete their meeting agenda prior to their arrival on the SC site.

A unique calendar is created automatically for each accredited participant duly registered for the SC.

▲ Each eligible participant receives from IATA, by e-mail, a personalised user name and password, approximately 20 days prior to the SC start date.

Requesting and accepting an appointment is simple: just a mouse click. Detailed user Information, including step-by-step examples is accessible on the AppCal Home page: http://appcal.pdc.dk/AppCal

IATA recommends that participants check "My Calendar" page in AppCal regularly starting 16 days prior to the SC, and immediately reply to all meeting requests. The AppCal will automatically send an e-mail to participants having pending meeting requests in their calendar for more than 24 hours.

Participants are requested to work diligently with their calendar, and promptly cancel all meetings they may hold and know they will not attend.

NB: in this text the word "coordinators" also includes schedules facilitators.

The AppCal also allows SC participants to exchange messages with other SC participants by using the Company Message Box built in to AppCal menus.

#### **Introduction: The Appointment Calendar Business Cycle**

When used in preparation for a SC, the different AppCal functionalities are made available progressively by the IATA AppCal administrator. Not all functionalities are made available at the same time for each participant as they vary according to the organisation type (airline, or coordinator), or a participant role within the organisation (Administrator, Normal).

## HERE IS AN EXAMPLE OF WHEN AND HOW THE APPCAL IS MADE AVAILABLE

Business Cycle	First Step			<b>Second Step</b>			Third Step												<b>Fourth Step</b>					
Reference Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day	Day		Co	nference	e
Category	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	1	2	3	4
Coordinators	Customise				Request - Accept - Suggest										View									
Airlines	Customise Accept - Suggest						Request - Accept - Suggest											View						
	Pas	sword	l Distr	ributio	n			SAL	Dead	line														

▲ NB: Late registration: Participants finalising their registration for the SC within 20 days of the SC start date will receive their AppCal personalised user name and password 24 hours after completing their registration. Their rights are immediately set according to the AppCal business cycle date.



#### Step 1 : Calendar Customisation - minimal work required

The Customisation step allows participants to adjust their personal settings in AppCal.

No appointments can be requested during this early phase. Here are some of the transactions that can be performed. (All the transactions below are fully described with examples on the AppCal help page: http://appcal.pdc.dk/appcalhelp/).

- Hiding or Showing a calendar: If participants do not want to receive appointment requests, they are
  able to hide their calendar. The participant name will appear in the participant list, but no calendar will
  show linked to their name. By default, all participants have a calendar. If participants elect to hide
  their calendar, they will still be able to use the AppCal Message Box for the SC;
- Blocking time slots in a calendar: participants are able to block certain meeting time slots in their calendar, such as lunch times, or block off a full day if they do not want to make appointments during specific time slots. Appointment request cannot be made on a blocked time slot;
- Adjusting individual profiles: Participants are able to adjust some elements of their profile such as their default e-mail address, their first name, or add more specific information about their responsibilities at the conference;
- Adjusting Administrator role: Each participant controls his own calendar. However, the Head Delegates are able to control all the calendars within their own company: they have the Administrator role. HoDs are also able to let other participants in their company control multiple calendars by delegating or assigning the Administrator role to another one of their company's participants;
- Setting up a favourites list: Participants are able to select in advance the list of coordinators or airlines they want to set appointments with using the built-in search engine.

#### **Step 2 : Coordinators Head Start**

All the functionalities of Step 1 are available. The coordinators get a head start to request appointments.

- Coordinators can request appointments with an airline, or with another coordinator;
- Coordinators can accept meeting requests originating from another coordinator;
- Coordinators can write messages and send them to the Message Boxes of participants;
- Airlines can only accept appointment requests from coordinators.

#### Step 3: All AppCal functionalities are available to all airlines and coordinators.

- Coordinators can request, accept, and decline appointments;
- Airlines can request, accept, and decline appointments with coordinators or other airlines;
- Airlines can write messages and send them to the Message Boxes of participants;
  - E-mail reminder messages are generated if a request is not answered within 24 hours.



#### Step 4: The AppCal is closed for bookings.

- Two days after the SC beginning, the AppCal no longer allows participants to request new meetings.
  - Airlines and coordinators can no longer request appointments;
  - Airlines and coordinators can accept pending meeting requests;
  - All calendars remain visible for viewing;
  - All Message Box facilities remain active.

Other participants to the SC, such as the Conference Sponsors and Exhibitors, use the AppCal to build their meeting schedules, in the days prior to the SC, after airlines and coordinators have completed the majority of their appointment settings.



## IATA APPOINTMENT CALENDAR BUSINESS CYCLE (SUMMER 2010 AND WINTER 2010/11)

AppCal Business Cycle Step	Summer 2010 Season SC/125	Winter 2010/11 Season SC/126
Distribution of AppCal Username and Password to SC registered participants by the IATA AppCal administrator.	29 October 2009	27 May 2010
First Step: AppCal Customisation	30 October 2009	28 May 2010
Second Step: Coordinators Head Start: Coordinators can request appointments, Airlines can accept their requests	3 November 2009	1 June 2010
Third Step: Airlines can request appointments	6 November 2009	4 June 2010
Fourth Step: Appointment Viewing only : Participants can no longer request new appointments	21 November 2009	19 June 2010



# APPENDIX 3 – SSIM AND ITS RELEVANCE TO AIRPORT COORDINATION

SSIM contains the Industry Standards for the exchange of Airport Coordination (slots) and Movement Advice information using interline telegraph message formats. The same formats can be used to exchange the data using other media, such as e-mail, hardcopy, computer diskette/CD ROM etc. It is highly recommended that this format is followed when exchanging information between airlines and coordinators on issues such as historic slots, program changes and feedback.

The most important Chapter for these purposes is **Chapter 6**. However, it is also important to refer to a number of other parts of SSIM which are used in conjunction with Chapter 6.

**Chapter 2** provides the standardisation of data elements and their message formats relevant in exchanging schedule information. This Chapter describes all the data elements required for schedules presentation together with the construction and formatting rules and in some cases, code sets..

**Chapter 3** provides example layouts and the minimum data requirements for printed schedules. Whilst the layouts need not be exactly adhered to, the minimum data requirements should be met.

**Chapter 6** describes the procedures for using a variety of Airport Coordination/Advice Messages (e.g. SCR, SHL, SAL, SMA, SIR, and SAQ). These are telegraph message or hard copy formats used to obtain clearance for, or provide information of, arrival and departure times at airports. The Chapter includes the principles for information exchange, technical specification, and examples.

**Chapter 8** describes the rules for formatting partial or complete schedules to EDIFACT standards for processing by computers. The functionality contained in this Chapter covers all areas of SSIM, and, in some cases, adds new functionality. The Chapter includes the principles for information exchange, technical specification, examples, and some code sets.

**Appendix A** provides the Industry standard Aircraft Type codes.

**Appendix C** provides the Industry standard Service Type codes.

**Appendix D** provides the Industry standard Passenger Terminal codes.

**Appendix F** provides the time difference from UTC for all countries.

**Appendix H** provides some explanatory notes on handling some of the more complex schedule information issues.

**Appendix J** provides information codes for use in the airport coordination process.

**Appendix K** provides a procedure and message structure for General Aviation Slot Requests using ICAO Airport, Aircraft Type codes and Aircraft Registration.

Attachment 2 provides a useful list of names and addresses of airlines and coordinators who attend SCs.

Attachment 3 provides a listing of MCT Coordinator contacts.



#### Which messages do I use and when?

### Before IATA Schedules Conference

**Coordinators** use **SHL** messages to provide airlines with information about historic status of slots and slots which they believe do not have historic precedence together with their reasons.

**Coordinators** send a free format message to advise IATA that the SHLs have been distributed. IATA will publish this information on the IATA website.

**Airlines** use **SCR** messages to submit their slot requests at Level 3 airports or **SMA** messages to provide schedule information to schedules facilitators for airports which require this information (Level 2).

**Coordinators** use **SAL** messages to provide airlines with their initial slot allocations.

**Coordinators** send a free format message to advise IATA that SALs have been distributed.

#### ▲ After IATA Schedules Conference

**Airlines** use **SCR** messages to submit new slot requests, requests to change existing slots, delete slots, or acknowledge slot offers made by coordinators, for airports which require slot allocation or **SMA** messages to provide similar schedule information to schedules facilitators or data collection agents for airports which require this information.

**Coordinators** use **SCR** messages to reply to slot clearance requests from airlines.

**Airlines** use **SIR** messages to clarify slots held for them by a coordinator or information held by a schedules facilitator about their flight schedules.

Coordinators and Schedules Facilitators use SIR messages to reply to clarification requests from airlines.

**Airlines** use **SAQ** messages to request information from a coordinator about slot availability for new services, or retiming of existing services.

**Coordinators** use **SAQ** messages to reply to slot availability information requests from Airlines.

#### What are the important things to look out for?

- **Format** of the messages it is important to ensure that you adhere strictly to the message formats in Chapter 6. Most of the coordinators at major airports use computer systems which automatically read the messages when they are received, and incorrectly formatted messages may be rejected.
- Correct use of **Action Codes** incorrect use, or using Action Codes in the wrong order, may lead to ambiguity and either message rejection or incorrect results.
- Correct use of **Periods** and **Days of Operation** incorrect use may again lead to ambiguity and rejection of the message
- **Aircraft Type Codes** ensure that you only use the industry standard codes from Appendix A of SSIM. It is recommended that sub-type codes are used.
- Passenger Terminal Indicators ensure that you only use the industry standard codes contained in SSIM Appendix D.
- Remember that information exchange between airlines and coordinators and between airlines and schedules facilitators is a dialogue. Be sure to follow the rules about timeliness of replies, and complete the dialogue properly so that there is no room for ambiguity — even if this means resorting to other means of communication or plain text messages.



In some areas there may be local legislation, requiring that certain elements of this section be handled differently, in which case that legislation will have precedence over the guidelines shown here.

#### APPENDIX 4 – BASIS FOR THE CALCULATION OF HISTORIC SLOTS

- (a) If an airline holds more than one slot with the same timings, then each record is considered separately. If a flight operates on more than one day of the week, each day of the week is considered individually.
- (b) If a series of flights has been filed with a coordinator before 31 January for the Summer scheduling period and 31 August for the Winter scheduling period, historic slots will be calculated in accordance with the Winter season examples below.
- 1. The cancellation of <u>less than five</u> consecutive weeks prior to the slot return deadline will not affect the period eligible for historic precedence

Original series:		
Before 31 Aug:	5  4	
Historic:		Target: 80% of 18

2. The cancellation of five or more consecutive weeks will result in separate historic periods

A 3. Operating periods of <u>less that five weeks</u> are not eligible for historic precedence

Original series:		
Before 31 Aug:  4	4	
Historic:		Target: 80% of 14

4. Cancellations at the start or end of the season will shorten the period eligible for historic precedence

Original series: |------|
Before 31 Aug: 4 |-----| 5

Historic: |-----13-----| Target: 80% of 13

(c) If a series of flights is filed with a coordinator and a break in the period of operation is requested **after** 31 January and 31 August, then the whole of the originally filed recognisable period will be considered as 100% for use it or lose it calculations.

Original series: |-----|
After 31 Aug: |--7--| 3 |------|

Historic: |-----|

(d) No dispensation will be given by coordinators for non-operation of slots on Public/Bank holidays against use it or lose it applications. Cancellations on those holidays should be made as early as possible but no later than 31 January and 31 August.

Ad-hoc cancellations due to the closure of an airport will not be considered against the use it or lose it applications. Ad-hoc cancellations for any other reason e.g. grounding of an aircraft type or circumstances beyond the airlines' control, must be discussed and agreed with the coordinator.

(e) In calculating the percentage of slots that have been used during the season, the slots from a flight in the same coordination period cannot be used to help another flight achieve the 80% utilisation target.

It is not possible to 'share' cancellations between, for example, two flights to retain two historic series of slots for only one series of actual operations, as in the example below:

Slot 1: |--5-x| 4 |--5--| 3 |x-5--| Slot 2: 4 |--5--| 4 |x-5--| 4

Note: x denotes a cancellation after 31 August

- (f) Schedule changes to a series of five or more slots, agreed with the coordinator during a scheduling season, do not lead to a loss of historic precedence provided that at least 80% of the slots are operated as cleared by the coordinator The new times will become historic for the period in question.
- (g) Ad-hoc changes of timing, equipment or flight number changes on a specific date(s) will not affect the base historic schedule, provided the airline can demonstrate the continued use of the series of slots. However, in the case of a change in aircraft type, historic precedence will apply to the aircraft type normally operated.



#### APPENDIX 5 - STANDARDS FOR AIRPORT CAPACITY ANALYSIS

Section 4.6 of this document provides guidance on the sequence of events that should take place before the category of an airport is changed from Level 2 to Level 3. The key item in this sequence of events is the completion of a thorough capacity analysis.

The IATA Scheduling Services Department, in conjunction with the IATA Operations & Infrastructure Department has carried out numerous capacity analyses at major airports around the world. IATA's capacity analysis services are available to governments or airport managing bodies who wish to avail themselves of these services.

A thorough capacity analysis should examine the critical subsystems of the airport in question and consider the possibilities of removing the capacity constraints through infrastructure or operational changes, with estimates of time and cost required to resolve the problems.

In order to carry out thorough capacity analyses, IATA's Operations & Infrastructure Division makes use of a fully interactive computer program known as Total AirportSim.

Total Airport Sim is designed to offer a comprehensive 'user-friendly' solution that covers a wide variety of airspace, runway(s), taxiways, aircraft parking stands, gates, terminal (e.g. check-in and baggage delivery), and environmental simulations for demand/capacity and level of service applications.

For further details on capacity analyses or to have IATA conduct a capacity analysis, please contact:


Head of Airport, Inflight & Scheduling IATA Route de l'Aeroport 33, P.O. Box 416 1215 Geneva 15 Airport Switzerland

Telephone: +41 22 770 2738 Fax: +41 22 770 2662 Email: sked@iata.org Assistant Director, Airport Consultancy Services IATA 800 Place Victoria, Montreal, Quebec Canada H4Z 1M1

Telephone: +1 (514) 874-0202 ext 3442

Fax: +1 (514) 874-2662 E-mail: consulting@iata.org

#### **ADJUSTING CAPACITY TO DEMAND**





# APPENDIX 6 – RECOMMENDED MINIMUM SYSTEM REQUIREMENTS FOR AIRLINES AND COORDINATORS

#### 1. Recommended Minimum System Requirements - Airlines

#### 1.1. Introduction

It is strongly recommended that the airlines operating or intending to operate into Level 3 and Level 2 airports have suitable systems available to undertake their duties, fully comply with the IATA WSG and local regulations/guidelines and are able to participate in accurate and responsive communications with the coordinators and schedules facilitators concerned.

Scheduling systems and slot tools are multi-functional applications and may be combined within the same software package. Some systems are widely used and some are unique to a single airline.

Some airlines use relatively basic systems while others have functionally rich systems to deliver the quality of schedule submission for large aircraft fleets/complex flying schedules that the coordinators and facilitators require.

The following section describes the essential scheduling systems and slot tool requirements and, in some areas, describes functionality that is desirable (nice to have). Desirable functionality is shown in **bold Italics** below.

#### 1.2 Functionality

#### 1.2.1 Scheduling Systems and Slot Tools

Airlines must have the proper security controls of their scheduling systems.

The scheduling systems and slot tools must have resilient backup facilities to avoid the loss of essential data due to a system problem.

The scheduling systems and slot tools must be compliant with all mandatory SSIM Chapter 6 fields. The database must work in UTC. The ability to also work in local time is desirable, especially where there is a significant UTC/local time difference, e.g., airports in the Far East.

#### 1.2.2 Message Handling

The scheduling system and slot tools must be able to generate SCR/SMA messages as well as read and process replies from coordinators and schedules facilitators in SSIM Chapter 6 format, avoiding manual data entry which is error prone and slower than automatic processing. The fully automatic processing and replying to routine responses from coordinators and/or schedules facilitators is desirable to reduce request response times.

The scheduling system and slot tools must be able to generate/handle all other SSIM Chapter 6 formats, i.e., SHL, SAL, SIR, SAQ, WCR, WIR, formats.

The scheduling system and slot tools must be able to handle SHL messages that incorporate the date range of the new scheduling period.

The scheduling system and slot tools must use the slot allocated by the coordinator as the reference for any schedule change.

The ability to process SSIM format requests via email is highly desirable.



#### 1.2.3 Schedule Editing

In order to make non-message based schedule changes (e.g. during initial coordination or during face-to-face meetings with coordinators and schedules facilitators), facilities to manually edit the schedule database are required with the following basic functionality:

- View flights in the schedule database according to selection criteria;
- Change existing flights (or change particular dates/days of operation);
- Delete existing flights (or delete particular dates/days of operation);
- · Add new flights.

#### 1.2.4 Outstanding Requests and Changes

The scheduling system and slot tools must be able to reconcile the slots and times allocated by the coordinators and schedules facilitators with the schedules held in the airline's system. Discrepancies in data should be identified for the airline to take appropriate action to resolve the discrepancy.

The scheduling system and slot tools must be able to maintain a record of all outstanding slot requests by the airline.

An airline's slot database must be regularly *(preferably automatically)* updated with changes made within the airline's scheduling system. Discrepancies between the approved schedules and any revised schedules should automatically generate the necessary SCR or SMA messages to send to the coordinator and/or schedules facilitator.

#### 1.2.5 Slot Usage – Level 3

The scheduling system and slot tools must be able to compare actual usage of the slots against the allocated slots in order to track slot usage for the purpose of calculating historic precedence.

The scheduling system and slot tools must be able to monitor the difference between the allocated slot and the actual operated time of the flight to explain the discrepancy to the coordinator should they be requested to do so.

#### 1.2.6 Internet Access

An increasing number of important scheduling activities (e.g. AppCal, online coordination systems, SCR/SMA messages) now take place on the Internet. It is essential that airlines are able to access the Internet.



#### 2 Recommended Minimum System Requirements - Coordinators

#### 2.1 Introduction

Coordination systems are multi-functional applications. Some systems are widely used and some are unique to a single coordinator.

Some coordinators use quite basic systems, others have functionally rich systems, which they need in order to deliver the service that their airline customers require.

The following section describes essential system requirements and, in some areas, describes functionality that is desirable (nice to have). Desirable functionality is shown in **bold Italics** below.

#### 2.2 Functionality

#### 2.2.1 Schedule Database

- Systems must have secure access only capable of amendment by the coordinator or their appointed representative outside of normal office hours. Ideally the database should be independent of any other party;
- Systems must have resilient backup facilities to avoid the loss of essential data due to a system problem;
- Systems must contain data for all active seasons in the scheduling cycle (e.g., current and future seasons – up to 3 seasons during September/October), with old data archived for reference if necessary;
- Systems must be able to take 'snapshots' of the database at key stages in the scheduling process, e.g., after the 31 January for a Summer Season or 31 August for a Winter season for reference during the calculation of historic precedence;
- Systems must contain all mandatory SSIM Chapter 6 fields of schedule information;
- Systems must be accessible from the SC. The current season schedule should also be available for updates during the dates of the SC;
- Systems must work in UTC. The ability to also work in local time is desirable, especially where there is a significant UTC/local time difference, e.g., airports in the Far East.

#### 2.2.2 Message Handling

- Systems must be able to read, process and generate replies to SSIM Chapter 6 format SCR
  messages avoiding manual data entry, which is error prone and slower than automatic
  processing. The fully automatic processing and replying to routine requests is desirable
  to reduce request response times;
- Systems must be able to generate/handle other SSIM Chapter 6 formats, i.e., SHL, SAL, SIR, SAQ, WCR, WIR, formats;
- The ability to process SSIM format requests via email is highly desirable.

#### 2.2.3 Schedule Editing

In order to make non-message based schedule changes (e.g. during initial coordination or during face-to-face meetings with airlines), facilities to manually edit the schedule database are required with the following basic functionality:

- View flights in the schedule database according to selection criteria;
- Change existing flights (or change particular dates/days of operation);
- Delete existing flights (or delete particular dates/days of operation);
- Add new flights.

#### 2.2.4 Outstanding requests

- Systems must be able to maintain a record of all outstanding airline requests;
- Systems must be regularly (preferably automatically) updated as airline requirements change;
- Where terminal and/or aircraft parking constraints are relevant, the ability to record outstanding aircraft type and/or seat count requirements is desirable;
- Software to automatically search for possible slot exchanges is desirable.

#### 2.2.5 Constraint and Resource Modelling

- Systems must be able to model all coordination parameters applicable to the airport, e.g. runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), environmental constraints e.g. night restrictions, etc.;
- Systems must automatically evaluate any schedule changes/additions, whether initiated by a
  message or through manual editing, against the utilisation of each parameter and report any
  constraint breaches;
- Where relevant, coordinators systems must be able to allocate flights to the specific airport resources, e.g. different terminals.

#### 2.2.6 Availability and Utilisation Displays

- Systems must be able to visually display available capacity and the utilisation of capacity for the relevant coordination parameters. The use of colours to aid reading the displays is highly desirable;
- Systems must be able to provide airlines with depictions of available capacity and the utilisation
  of capacity, such as histograms or a table of availability for a typical week, for planning
  purposes.

#### 2.2.7 Reporting

- Systems must be able to produce listing of flights held in the schedule database as printouts and/or in electronic formats based on selection criteria;
- Systems must be able to produce an historic listing of flights held in the schedule database;
- The ability to produce statistical reports is desirable, e.g. slots per hour, by operator, etc.



#### 2.2.8 Slot Monitoring

- Systems must be able to compare planned and actual use of slots, normally utilising actual flight data provided by the airport or ATC authorities;
- Systems must be able to track airlines' use of slots for the purposes of the calculation of historic precedence;
- Systems must be able to monitor the difference between allocated and actual slot times to identify potential slot abuse by airlines.

#### 2.2.9 Data Feeds

Ideally the coordinator's database should provide automatic feeds of planned schedule data to airport systems in order to provide an incentive for the airlines to keep the coordinator updated with all schedule changes.

#### 2.2.10 Internet Access

An increasing number of important scheduling activities now take place on the Internet. It is essential that coordinators and schedules facilitators have access to the Internet.

61



Intentionally left blank



# APPENDIX 7.1 – ADVICE FOR AIRLINES USING THE COORDINATION PROCESS

Before the Conference	At the Conference	After the Conference
Do	Do	Do
Do review the SHL's and agree with coordinator on slots which have failed to achieve the Use it or Lose it targets, by the Agreed Historic Deadline.	Do make appointments early and be on time for them.	Do keep the coordinator updated as your slot requirements change.
Do check with the coordinators to ensure that you have the latest capacity/utilisation data for each airport.	Do prepare for your appointment with the coordinator, and bring all necessary documentation with you.	Do advise coordinators who to contact on slot issues if control of your schedule is handed over to another department of your company.
Do discuss your requirements with the coordinator before making your submissions.	Do ensure that you have the authority to make decisions on behalf of your company in relation to slot offers.	Do provide correct information to airports and authorities about your allocated slots.
Do learn SSIM and always submit in correct SSIM format.	Do ensure that you are familiar with the Worldwide Scheduling Guidelines.	Do return unwanted slots as soon as possible.
▲ Do use the correct SSIM codes for historic slots, changes to historic slots and year round services.	▲ Do clear your message box regularly and respond quickly to queries or offers placed in your message box by coordinators.	Do operate your schedules strictly in accordance with allocated slots.
Do provide good supplementary information (SI) messages to help the coordinator identify new flights and requests for new entrant status.	Do ensure that you are always available during working hours for the duration of the SC.	
Do use your own flight prefix and not that of your Code Share partners.	Do accept reasonable slot offers made by coordinators.	
Do attend the IATA courses to improve your understanding of the scheduling process, Worldwide Scheduling Guidelines and SSIM features.	Do keep the coordinator updated as your slot requirements change.	
Do accept SAL offers where appropriate using Action Code A.	Do return any slots not required as early as possible.	



Before the Conf	erence A	t the Conference A	After the Conference
Do cancel slot offers required using SSIM D (Delete) or Z (Dec	Action Code Duline Offer).	o attend the Heads of elegation session to update ourself on scheduling, pordination and SC matters.	
Do submit schedule the Coordinator (afte have been distribute SC.	er the SAL's		
Do agree swaps with and submit to the corto the SC			
Don't		Don't	Don't
Don't  Don't leave your subm IATA deadline. Submit possible if your schedu likely to change.	as early as solvules are not Cor	n't wait for the coordinator to ve all your slot problems.	Don't operate without a cleared slot, or deliberately at a different time from your cleared slot
Don't leave your subm IATA deadline. Submit possible if your schedu	e as early as solvales are not Cor arra	n't wait for the coordinator to ve all your slot problems.	Don't operate without a cleared slot, or deliberately at a different time from your
Don't leave your subm IATA deadline. Submit possible if your schedulikely to change.	e as early as solv Cor arra  Intil the SC. Dor adv  Ith the SAL's have Dor return the SAL's have	n't wait for the coordinator to ve all your slot problems. Intact other airlines and lange slot swaps yourself.  n't leave the SC without	Don't operate without a cleared slot, or deliberately at a different time from your



# APPENDIX 7.2 – ADVICE FOR COORDINATORS USING THE COORDINATION PROCESS

Before the Conference	At the Conference	After the Conference
Do	Do	Do
Do act at all times in a transparent and neutral way.	Do act at all times in a transparent and neutral way.	Do act at all times in a transparent and neutral way.
Do agree with each airline the slots that have not achieved the Use it or Lose it targets.	Do be available in your SC work room for the making of appointments between 16h00 and 18h00 on the day prior to the start of the SC.	Do monitor slots in accordance with the Use it or Lose it rules.
Do confirm details of historic slots by mid April (Winter) and mid September (Summer) in SHL format.	Do try to see all airlines with outstanding requests in the first two days.	Do advise airlines if they are in danger of losing their historic preference under the Use it or Lose it rules.
Do advise IATA when SHLs have been distributed.		
Do provide time for airlines to discuss their requirements prior to the submission deadline dates.	Do prepare for your appointment and have the necessary documentation with you.	Do keep the airlines outstanding requirements updated in your system and notify them of any possible improvements.
Do produce and regularly update capacity and utilisation information on your website and provide these for the airlines on request.	Do stick to your appointments timetable and avoid delays.	Do maintain an up-to-date record of outstanding slot requirements.
Do update the airlines on the coordination parameters you are using.	Do ensure that airline representatives with whom you meet, are properly accredited.	Do actively look for slot swaps.
Do learn and promote the use of SSIM.	▲ Do clear your message box regularly and respond quickly to queries or requests placed in your message box by airlines.	Do consider ad-hoc slot requests as early as possible.
Do reply to requests in correct SSIM format using the latest SSIM codes.	▲Do put feedback on each airline's submissions in their message box as early as possible.	Do respond promptly (maximum 3 days) in correct SSIM format, to all schedule change requests.



At the Conference	After the Conference
Do ensure that you are always available during working hours for the duration of the SC.	Do keep airlines advised on all matters likely to impact on airport capacity or scheduling flexibility.
Do contact airlines and arrange slot swaps.	Do provide schedule data to airlines on request.
Do review, and action promptly if possible, all proposed slot exchanges.	Do advise the airlines of any change of contact address, if you hand over
Do attend the Heads of Delegation session to update yourself on scheduling, coordination and SC matters.	Do provide correct information to airports about the slots you have allocated.
Do make available to all airlines details of all slot allocations and lists of outstanding slot requests at the beginning of the SC	
Do ensure that you are familiar with the IATA Worldwide Scheduling Guidelines.	
Don't	Don't
Don't withdraw or modify an allocated slot without the airlines' permission.	Don't withdraw or modify an allocated slot without the airlines' permission.
Don't wait for the airlines to solve all their slot problems. Be proactive.	Don't wait until the end of the season to advise an airline of possible slot losses under the
	Do ensure that you are always available during working hours for the duration of the SC.  Do contact airlines and arrange slot swaps.  Do review, and action promptly if possible, all proposed slot exchanges.  Do attend the Heads of Delegation session to update yourself on scheduling, coordination and SC matters.  Do make available to all airlines details of all slot allocations and lists of outstanding slot requests at the beginning of the SC  Do ensure that you are familiar with the IATA Worldwide Scheduling Guidelines.  Don't withdraw or modify an allocated slot without the airlines' permission.  Don't wait for the airlines to solve all their slot problems. Be



	Before the Conference		At the Conference		After the Conference
					Use it or Lose it rules.
×	Don't action changes to late submissions until initial coordination has been completed	×	Don't leave the SC before the agreed closing date/time.	×	Don't approve ad-hoc requests prior to 31 January and 31 August.
×	Don't action schedule changes (after the SAL's have been distributed) prior to the SC which impact on available capacity.	×	Don't leave the SC without giving each airline a printout of its approved slots.		
		×	Don't make non-critical schedule changes during the first three days.		



### ■APPENDIX 7.3 – INDEPENDENCE OF COORDINATOR

Best Practice	Best Practice
Functional Independence	Financial Independence
▲The company employing the staff should be the coordination entity,	Multiple parties representing various stakeholders share funding of the coordination entity
An alternative employment arrangement is a clear secondment contract to the coordination entity	Single till' approach which allows some internal cross subsidy in the coordination entity
Financial stakeholders review budget only	Not for profit organisation (cost recovery primarily but allow for ICAO principle of 'reasonable margin')
The "Board " of the coordination entity cannot influence coordination decisions	Revenue generation acceptable but must not effect the functional independence
Separation of physical location or independent office facilities	Secondments from stakeholder organisations are acceptable but financial control of coordination staff through pay must not be in the hands of stakeholders
▲Separation of coordination software systems and schedule data from other stakeholders e.g. airlines or airports	
The coordinator must conduct business in an independent manner	
No conflict of coordination role with other activities	
No single stakeholder holds a majority interest	
All stakeholders should be consulted in the appointment of a coordination entity	
Separation of coordination from sanctions role in order to maintain a 'balance of power'	
Free from external direction	
Poor Practice	Poor Practice
Active employees of interested stakeholders are responsible for coordination (governments, airports, airlines)	One party fully funds coordination
Dual-role (coordinator/airline scheduler)	Coordination entity is subsidised by an interested party



For the avoidance of doubt, this Annex does not constitute part of the Worldwide Scheduling Guidelines and is presented here for information purposes only.

## ANNEX 1 – ROLES AND TERMS OF REFERENCE OF COMMITTEES AND WORKING GROUPS

#### 1. SCHEDULE POLICY WORKING GROUP (SPWG)

#### Terms of Reference

- 1. A Schedule Policy Working Group (SPWG) is established to address scheduling matters such as the development of amendments to the Worldwide Scheduling Guidelines and provide guidance on industry scheduling matters to the office of the IATA Director General;
- 2. The IATA Director General appoints the working group from Member airline employees who have demonstrated the experience and skills necessary to represent the industry and make a contribution to the issues being addressed and who have indicated a desire to participate in such activities;
- 3. The ten airline members of the SPWG are appointed for a two-year term. Every effort will be made to achieve a broad geographical representation of airlines;
- 4. The SPWG will provide guidance to IATA in the implementation of the Schedules Process Review proposals as agreed by JSAG to ensure the IATA Schedules Conference and its related activities are a cost effective and efficient process that delivers timely and valued service to IATA Members and the industry as a whole;
- 5. The SPWG will provide technical guidance to IATA management and other industry groups, i.e. the Industry Affairs Committee in dialogue with regulatory and other interested parties on schedules and slot matters:
- 6. A subgroup of the SPWG will represent IATA at the Joint Scheduling Advisory Group (JSAG) that meets regularly with the airport coordinators to discuss matters of mutual interest concerning the IATA Schedules Conference and slot management matters;
- 7. The Chairman and Vice Chairman of the SPWG will be appointed by the IATA Director General. Their tenure will be for a minimum of two years;
- 8. The SPWG will meet as often as necessary. The Chairman and Vice Chairman will agree on the agenda and minutes of the SPWG prior to distribution to the SPWG members;
- 9. A liaison with non-IATA airlines participating in the IATA Schedules Conference is established through IACA. All other parties will liaise through the Head of Delegation meetings convened at the bi-annual IATA Schedules Conference;
- 10. Heads of Delegation participating in the IATA SC process may attend SPWG meetings as observers, with the Chairman's approval, for the purpose of addressing specific agenda item(s).

#### 2. JOINT SCHEDULING ADVISORY GROUP (JSAG)

#### Terms of Reference

- The JSAG has been established as an IATA forum where Member airlines and airport coordinators can meet to discuss issues of common interest, work together to formulate industry guidelines related to airline scheduling, slot allocation and airport coordination worldwide and to advise on principles for administering the IATA Schedules Conference;
- 2. The JSAG will provide recommendations to IATA management on the restructuring of the IATA Schedules Conference into a cost effective and efficient process that delivers valued service to IATA Members, the coordinator community and the industry as a whole;
- Recommendations of the JSAG to IATA and the industry at large will be based upon consensus between JSAG members and will be submitted to the IATA Schedule Policy Working Group (SPWG) for airline endorsement and to the Worldwide Airport Coordinators Group for their endorsement. Recommendations will be presented to the IATA Heads of Delegation to the IATA Schedules Conference for final endorsement;
- 4. The seven airline members of the JSAG will be appointed for a two-year period while the seven Coordinator members will be elected for a two-year period. Every effort will be made to achieve a broad geographical representation of airlines and coordinators;
- 5. The 7 airline members of the JSAG will be appointed by the IATA Director General from the SPWG to represent the airline community and are eligible for re-appointment;
- 6. The 7 Coordinator members of the JSAG will be elected by the coordinator community from the Worldwide Airport Coordinators Group (WWACG) Core Group and are eligible for reelection:
- 7. The Chairman of the JSAG will be appointed by the IATA DG from the seven airline members of the JSAG and the Vice Chairman will be elected from the seven-coordinator members of the JSAG by the coordinator community;
- 8. The JSAG will meet as often as necessary to meet its objectives. One of its meetings each year should, if practical, be held at either the Geneva or the Montreal office of IATA. Additional meetings may also take place in conjunction with the IATA Schedules Conference. The agenda and minutes of the JSAG will be agreed by the Chairman and Vice Chairman prior to distribution to the JSAG members and the industry;
- 9. IATA and non-IATA airlines as well as WWACG members and its associate members (facilitators) participating in the IATA SC process may attend JSAG meetings as observers, with the Chairman's approval, for the purpose of addressing specific agenda item(s);
- 10. A member of IATA Management will serve as secretary to the JSAG;



- 11. The JSAG activities include, but are not limited to:
  - Ensure the IATA Worldwide Scheduling Guidelines (WSG) accurately reflect industry business practices, regulatory requirements and serves as the industry reference on airport coordination and schedule management procedures;
  - Develop standard practices to facilitate worldwide airport coordination and schedule facilitation;
  - Review regulatory developments related to worldwide airport coordination, and develop, where possible, a common airline/coordinator position that can be presented to regulatory bodies when and where appropriate;
  - Provide guidance to IATA Management on the development of services and systems to support airport coordination and the slot allocation process;
  - Provide guidance to IATA on training and support activities to ensure an efficient and effective worldwide airport coordination and slot allocation process is maintained for the benefit of all stakeholders;
  - Provide guidance to IATA Management on the organisation and administration of the IATA Schedules Conferences:
  - Other tasks as assigned by the IATA Director General.



### 3. SCHEDULES INFORMATION STANDARDS COMMITTEE (SISC)

#### Terms of Reference

The Schedules Information Standards Committee (SISC) reports to the IATA Passenger Services Conference (PSC) with the following terms of reference:

- 1. Develop and maintain a set of common standards for the exchange of schedule data, including industry standard code sets for a variety of schedule related data elements;
- 2. Disseminate and encourage the use of common schedule data handling procedures and standard formats for the exchange of schedule information as published in the Standard Schedules Information Manual (SSIM);
- 3. Liaise with other IATA committees and working groups, in particular the Schedule Policy Working Group (SPWG) as well as other organisations as appropriate to meet changing industry requirements and to further the objectives of the SISC;
- 4. The Joint Schedules Advisory Group (JSAG) will ensure formal liaison between the airport coordinator community and SISC;
- 5. SISC will provide an annual report to the PSC comprising all proposed and adopted changes to SSIM. In addition a written report of the work of SISC will be made to the Heads of Delegation Meeting of the regularly scheduled IATA Schedules Conferences;
- 6. The PSC will be responsible for final endorsement of proposed changes to SSIM;
- 7. Participation is by schedules specialists from IATA airlines and industry experts in the IATA Strategic Partnership programme;
- 8. A rapporteur will be established to provide liaison for non-IATA airlines participating in the Schedules Conference:
- 9. Airport coordinators participating in the IATA Schedules Conference are invited to participate in SISC.



#### 4. COORDINATION COMMITTEE

The Terms of Reference outlined here are for general guidance only. It is possible that some States or Regions may have legislation covering this area, in which case that legislation will have precedence over the Terms of Reference shown.

#### Terms of Reference

#### Background

Where an airport has been designated as a coordinated airport (Level 3), a Coordination Committee or equivalent body may be established by the government concerned to advise the coordinator responsible.

#### **Functions of the Committee**

The principal tasks of the committee are to:

- advise on the possibilities of increasing the currently determined capacity of the airport;
- advise on ways of achieving a better utilisation of the capacity available;
- advise on the coordination parameters on which slot allocation is based;
- advise the coordinator on monitoring the use of allocated slots;
- act as mediator in the event of complaints by airlines on slot allocation;
- consider any serious problems for new entrants at the airport concerned;
- oversee the activities of the slot performance sub-committee, where one exists;
- advise on local guidelines for coordination.

#### Membership

Membership of the Committee is open to all airlines using the airport regularly, and their representative organisations, the relevant airport and air traffic control authorities and representatives of general aviation where relevant. The coordinator attends all the meetings.

#### Meetings

At least once per year or as required.

#### 5. SLOT PERFORMANCE SUB-COMMITTEE

The Terms of Reference outlined here are for general guidance only. It is possible that some States or Regions may have legislation covering this area, in which case that legislation will have precedence over the Terms of Reference shown.

#### Terms of Reference

#### **Background**

Maximising the utilisation of the existing runway and other airport facilities through continuous control of slot performance is critical to the future development and growth of coordinated airports and their airline operators. In order to ensure that all airlines conform with procedures governing the use and availability of the runway, and operate to the slots allocated to them, slot performance subcommittees have been established by the coordination committees of a number of coordinated airports in support of the role of the coordinator.

#### **Functions of the Sub-Committee**

- Analyses the slot performance of all airlines operating through their airport(s);
- Identifies any airline that regularly and intentionally abuses the procedures of slot allocation;
- Notifies the airport managing body of such abuse;
- Communicates with the airline concerned and seeks explanations of specific instances of apparent abuse;
- If the responses to such requests are considered by the Sub-Committee to be inadequate or unreasonable, a set of disciplinary procedures may be recommended and initiated through the appropriate body;
- If required to do so by airlines, may act as a mediator with the coordinator in the event of differences of interpretation on slot performance.

#### Membership

- The airport managing body provides the Chairman and the Secretary for the Sub-Committee;
- The airlines operating at the airport provide representatives with scheduling experience from two or three airlines carrying different types of traffic);
- The coordinator attends the meetings as an advisor;
- The inclusion of an ATC representative is recommended.

#### Meetings

Meetings are usually held once per month or as required.



For the avoidance of doubt, this Annex does not constitute part of the Worldwide Scheduling Guidelines and is presented here for information purposes only.

# ANNEX 2.1 - MEMBERSHIP OF THE SCHEDULE POLICY WORKING GROUP

Name and Title	Organization and Address	Tty: Tel: Fax: E-mail:
Mr. Francois Southarewsky	AIR FRANCE	Tty: PARSPAF
Director Scheduling	45, rue de Paris	Tel: +33 (01) 41.56.83.12
	F-95747 Roissy CDG Cedex	Fax: +33 (01) 41.56.83.69
	France	E-mail: frsoutharewsky@airfrance.fr
Mr. Ian Bamber	ALL NIPPON AIRWAYS CO., LTD	Tty:
Senior Director Network Planning	Shiodome City Center	Tel: +1 (770) 645.9482
Dept.	1-5-2 Higashi-Shinbashi, Minato-ku	Fax:
	Tokyo 105-7133	E-mail: i.bamber@fly-ana.com
	Japan	
Mr. Jim Watt	AMERICAN AIRLINES	Tty:
Manager Capacity Planning	MD 5639	Tel: +1 (817) 967.1233
IATA Airport Coordination	P.O. Box 619616	Fax: +1 (817) 967.0763
	Dallas/Ft. Worth Int'l Airport	E-mail: jim.watt@aa.com
	Texas 75261-9616	
	U.S.A.	
Mr. Steve Ronald	BRITISH AIRWAYS	Tty:
General Manager Airport Capacity	Waterside HFB2	Tel: +44 (0) 7789 611416
	P.O. Box 365	Fax: +44 (208) 738 9956
	Hammondsworth, Middlesex UB70GB	E-mail: steve.ronald@ba.com
	United Kingdom	
Mr. Wolfgang Queissner	DEUTSCHE LUFTHANSA AG	Tty: FRAELLH
General Manager Slot Politics &	FRA P/KA-P	Tel: +49 (69) 696.56666
Schedule Management	Lufthansa Aviation Center	Fax: +49 (69) 9856666
	D-60546 Frankfurt/MainGermany	E-mail: wolfgang.queissner@dlh.de
Mr. Ansgar Kruse	HAPAG-LLOYD	Tty: HAJSPHF
Head of Schedules Planning & Slot	Postfach 42 02 40	Tel: +49 (511) 9727 248
Coordination	D-30662 Hannover	Fax: +49 (511) 9727 196
	Germany	E-mail: ansgar.kruse@tuifly.com



Name and Title	Organization and Address	Tty: Tel: Fax: E-mail:
Mr. Bert Imminga, Vice Chairman Director Hub & Slots Development	KLM - ROYAL DUTCH AIRLINES P.O. Box 7700 Schiphol Airport 1117 ZL Amsterdam Netherlands	Tty: Tel: +31 (20) 648.9343 Fax: +31 (20) 648.8082 E-mail: bert.imminga@klm.com
Mr. Khalid Al-Ajmi Senior Expert Schedules Planning	KUWAIT AIRWAYS P.O. Box 394 Kuwait International Airport 13004 Safat Kuwait	Tty: KWISPKU Tel: +965 2471. 7773 Fax: +965.9971.4803 E-mail: ajmi@kuwaitairways.com
Mrs. Jennifer Sayre Director, International Schedules and Airport Access	DELTA AIRLINES P.O. Box 20706 Dept. 661 Atlanta, GA. 30320 United States	Tty: HDQZONW Tel: +1 (612) 578-4122 Fax: +1 (404) 715-6018 E-mail: jennifer.sayre@nwa.com
Mrs. Michele Boyce, Chairman Senior Manager, Airport Affairs	UNITED AIR LINES  Department HDQRL  77 West Wacker Drive  Chicago, IL 60601  United States	Tty: HDQRLUA Tel: +1 (312) 997 8675 Fax: +1 (312) 997 8675 E-mail: Michele.boyce@united.com



# ANNEX 2.2 - MEMBERSHIP OF THE JOINT SCHEDULING ADVISORY GROUP

Name and Title	Organization and Address	Tty: Tel: Fax: E-mail:
Mr. Francois Southarewsky Director Scheduling	AIR FRANCE 45, rue de Paris F-95747 Roissy CDG Cedex France	Tty: PARSPAF Tel: +33 (01) 41.56.83.12 Fax: +33 (01) 41.56.83.69 E-mail: frsoutharewsky@airfrance.fr
Mr. Ian Bamber Senior Director Network Planning Dept.	ALL NIPPON AIRWAYS CO., LTD Shiodome City Center 1-5-2 Higashi-Shinbashi, Minato-ku Tokyo 105-7133 Japan	Tty: Tel: +1 (770) 645.9482 Fax: E-mail: i.bamber@fly-ana.com
Mr. Jim Watt Manager Capacity Planning IATA Airport Coordination	AMERICAN AIRLINES MD 5639 P.O. Box 619616 Dallas/Ft. Worth Int'l Airport Texas 75261-9616 U.S.A.	Tty: Tel: +1 (817) 967.1233 Fax: +1 (817) 967.0763 E-mail: jim.watt@aa.com
Mr. Steve Ronald General Manager Airport Capacity	BRITISH AIRWAYS  Waterside HFB2  P.O. Box 365  Hammondsworth, Middlesex UB7OGB United Kingdom	Tty: Tel: +44 (0) 7789 611416 Fax: +44 208 738 9956 E-mail: <u>steve.ronald@ba.com</u>
Mr. Wolfgang Queissner General Manager Slot Politics & Schedule Management	DEUTSCHE LUFTHANSA AG FRA P/KA-P Lufthansa Aviation Center D-60546 Frankfurt/Main	Tty: FRAELLH Tel: +49 (69) 696.56666 Fax: +49 (69) 9856666 E-mail: wolfgang.queissner@dlh.de
Mr. Bert Imminga Director Hub & Slots Development	KLM - ROYAL DUTCH AIRLINES P.O. Box 7700 Schiphol Airport 1117 ZL Amsterdam Netherlands	Tty: Tel: +31 (20) 648.9343 Fax: +31 (20) 648.8082 E-mail: bert.imminga@klm.com
Mrs. Michele Boyce, Chairman Senior Manager, Airport Affairs	UNITED AIR LINES  Department HDQRL  77 West Wacker Drive  Chicago, Illinois 60601  United States	Tty: HDQRLUA Tel: +1 (312) 997 8675 Fax: +1 (312) 997 8675 E-mail: Michele.boyce@united.com



Name and Title	Organization and Address	Tty:		
		Tel: Fax: E-mail:		
Mr. Ernst Krolke	Airport Coordination Australia	Tty: HDQACXH		
Chief Executive	P.O. Box 3047	Tel: +61 (2) 9313.5469		
	Mascot 2020 NSW	Fax: +61 (2) 9313.4210		
	Australia	E-mail: ejkrolke@coordaus.com.au		
Mr. Munro Smith	Airport Coordination Canada Ltd.	Tty: YYZSCAC		
President and Director, Slot	210-5955 Airport Road	Tel: +1 (905) 673 6380		
Coordination.	Mississauga, Ontario	Fax: +1 (905) 673 9892		
	L4V 1R9	E-mail: munrosmith@accl.aero		
	Canada			
Mr. James Cole	Airport Coordination Ltd.	Tty: LONACXH		
Director of Coordination	Capital Place	Tel: +44 (20) 8564.0606		
	120 Bath Road,	Fax: +44 (20) 8564.0690		
	Hayes, Middlesex UB3 5AN	E-mail: james.cole@acl-uk.org		
	United Kingdom			
Mr. Michiel van der Zee	Airport Coordination Netherlands	Tty: SPLACXH		
Managing Director	Triport 1	Tel: +31 (20) 405 9730		
	Evert-Van De Beekstr 23	Fax: +31 (20) 405 9731		
	1118 CL Schiphol	E-mail: info@slotcoordination.nl		
	Netherlands			
Mr. Eric Herbane	COHOR	Tty: HDQCOXH		
Managing Director	ORLYTECH Bat 527	Tel: +33 (1) 497.58810		
	3 alle Maryse BASTIE	Fax: +33 (1) 497.58820		
	91325 WISSOUS CEDEX	E-mail: eric.herbane@cohor.org		
	France			
Mr. Hiroki Takeda	NRT/KIX Schedule Coordination	Tty:		
Head Coordinator	Japan Aeronautic Association (JAA)	Tel: +81 (3) 3502 2721		
	Aviation Building, 4th Floor	Fax: +81 (3) 3502 2720		
	1-18-1 Shimbashi	E-mail: takeda@schedule-coordination.jp		
	Minato-ku, Tokyo 105-0004			
	Japan			
Mr. Erich Rindlisbacher	Slot Coordination-Switzerland	Tty: ZRHACXH		
Head of Coordination	P.O. Box 350	Tel: +41 (43) 816.77.66		
	CH-8058 Zurich Airport	Fax: +41 (43) 816.77.67		
	Switzerland	E-mail: erich.rindlisbacher@slotcoord.ch		



#### ANNEX 3 - CONTACT LIST FOR LEVEL 2 AND LEVEL 3 AIRPORTS

This Annex lists SITA/ARINC and e-mail addresses of coordinators requiring SCRs (Level 3 airports), and of schedules facilitators requiring SMAs (Level 2 airports), for the airports specified. It is based on information provided to IATA. Please note that the airports concerned are listed in alphabetical order (Table I) as well as by country (Table II).

The list is not guaranteed to be comprehensive, as its validity depends upon input from the addressees.

An airport will be shown as requiring SCRs (Level 3) only if the Coordinator provides information specifying applicable scheduling constraints for each forthcoming season plus data depicting the extent to which the airport is full or close to full, thus demonstrating the need for schedule coordination. If possible, details of the latest capacity and utilisation information should be displayed on the coordinator's website.

▲ Upon request from any airline acting as schedules facilitator to the Head of Airport, Inflight & Scheduling, any airport may be shown as requiring SMAs.

#### **EXPLANATION OF NOTES USED IN THE TABLES**

- Note 1 Level 3 for Summer season only. Level 2 for Winter season.
- **Note 2** Additional Addresses or different addresses for certain periods, may be needed. Addressees will provide details.
- **Note 3** Local rules per the meaning in the EU Slot Regulation, amended, Article 5.1 (a) or local rules having to do with slot allocation and related matters that differ from guidelines in the WSG.
- Note 4 Level 2 for Summer season only. Level 1 for Winter season.
- Note 5 General Aviation (GA) and Business Aviation (BA) flights also coordinated
- Note 6 Level 3 winter season only, day 6 & 7.



Table I (Sorted by Airport Code)

	Airport	SCR Level	SMA Level				
City (Airport)	Code	3	2	TTY	E-mail	Notes	Website
							www.acl-uk.org,
Aberdeen	ABZ		Yes	LONACXH	lonacxh@acl-uk.org		www.online-coordination.com
Accra	ACC	Yes		ACCCZGH	chrisntq@yahoo.com		www.gcaa.com.gh
Lanzarote	ACE	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Izmir	ADB		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Adelaide	ADL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Malaga	AGP	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Auckland	AKL	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
Alicante	ALC	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Amsterdam	AMS	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
Karpathos	AOK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Stockholm-Arlanda	ARN	Yes		ARNACXH	scr@airportcoordination.com	2	www.arnslot.se
Athens	ATH		Yes	ATHSPOA	slot-coord@olympic-airways.gr	2, 5	www.euaca.org
Abu Dhabi	AUH		Yes	HDQACXH	slots@coordaus.com.au		www.coordinationabudhabi.com
Antalya	AYT	Yes		ISTTUTK	eertus@shgm.gov.tr	1, 3	
Bahrain	BAH		Yes	BAHSPGF	BAHSPGF@gulfair.com		
Barcelona	BCN	Yes		MADGSYA	slot.coord@aena.es	2, 5	www.euaca.org
Bermuda	BDA		Yes	BDAAOCR			
Bergen	BGO	Yes		OSLACXH	scr@airportcoordination.com	5	www.airportcoordination.no
Milan - Orio al Serio	BGY	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
							www.acl-uk.org,
Birmingham	BHX		Yes	LONACXH	lonacxh@acl-uk.org	3	www.online-coordination.com
Bilbao	BIO	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Bodrum	BJV		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Suvarnabhumi	BKK	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Billund	BLL	Yes		СРНАСХН	scr@airportcoordination.com		www.online-coordination.com, www.airportcoordination.dk
Bologna	BLQ		Yes	ROMSPXH	score@assoclearance.it		www.assoclearance.it
Bangalore	BLR		Yes	2	slotcoordination@bialairport.com	5	www.bialairport.com
Stockholm-Bromma	BMA	Yes		ARNACXH	scr@airportcoordination.com	3	www.arnslot.se
Brisbane	BNE	Yes		HDQACXH	slots@coordaus.com.au	<u> </u>	www.coordaus.com.au
Mumbai	BOM	Yes			slots@csia.gvk.com		www.csia.in
Bremen	BRE	. 55	Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org

80 WSG 18th Edition –August 2009



City (Airport)	Airport Code	SCR Level	SMA Level 2	ттү	E-mail	Notes	Website
City (Airport)	Code	3		111	L-IIIaii	Notes	
Bristol	BRS		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
Brussels	BRU	Yes		BRUACXH	BRUACXH@brucoord.org	5	www.brucoord.org
Basel/Mulhouse	BSL		Yes	HDQCOXH	hdqcoxh.scr@cohor.org	_	www.cohor.org
Bratislava	BTS		Yes	BTSSC7X	peter.psenica@airportbratislava.sk		
Budapest	BUD		Yes	BUDLR7X	budcoord@hungarocontrol.hu		www.hungarocontrol.hu
Cagliari	CAG	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Guangzhou	CAN	Yes		BJSCKCA	lingang@atmb.net.cn	2	
Kolkata	CCU		Yes	BOMSPAI			
Paris-Ch. De Gaulle	CDG	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	2, 3	www.cohor.org
Corfu	CFU	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Jakarta	CGK		Yes	JKTSPGA	scheduleplanning@garuda- indonesia.com		
Cologne	CGN		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Christchurch	CHC	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
Chania	CHQ	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Rome - Ciampino	CIA	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Chongqing Jiangbei	CKG	Yes		BJSCKCA	shake@atmb.net.cn		
Colombo	CMB	Yes		CMBSPUL	maniqueg@srilankan.lk		
Cairns	CNS	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Chiang Mai	CNX	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Copenhagen	СРН	Yes		СРНАСХН	scr@airportcoordination.com	5	www.online-coordination.com, www.airportcoordination.dk
Cape Town	CPT	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
Catania	CTA	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Chengdu Shuangliu	CTU	Yes		BJSCKCA	shake@atmb.net.cn		
Delhi	DEL	Yes			intslots.igia@gmrgroup.in		www.newdelhiairport.in
Dalian Zhoushuizi	DLC	Yes		BJSCKCA	shake@atmb.net.cn		
Dalaman	DLM		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Don Mueang	DMK		Yes	HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Doha	DOH		Yes	DOHXYYF	mohammed.alkhater@caa.gov.ga		www.caa.gov.qa
23110	2011		. 55	2011/(111	scheduleplanning@garuda-		······osaigotiqu
Denpasar	DPS	Yes		JKTSPGA	indonesia.com		
Dresden	DRS		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Darwin	DRW	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au



		SCR	SMA				
City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
, ,							www.acl-uk.org,
Dublin	DUB	Yes		LONACXH	lonacxh@acl-uk.org	5	www.online-coordination.com
Durban	DUR	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
Duesseldorf	DUS	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Dubai	DXB		Yes	DXBSCXH	DXBSCXH@ACL-UK.org		www.acl-uk.org
Edinburgh	EDI		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
Kefallinia	EFL	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Eindhoven	EIN	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
Erfut	ERF		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Ankara	ESB		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Newark	EWR	Yes		DCAYAXD	7-awa-slotadmin@faa.gov, ewrcoordination@comcast.net, EWRslots@panynj.gov		
Faro	FAO	Yes		LISCSXH	liscsxh@ana.pt	1, 5	www.online-coordination.com, http://slotsportugal.ana.pt
Rome - Fiumicino	FCO	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Florence	FLR	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Muenster	FMO		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Funchal	FNC	Yes		LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Frankfurt	FRA	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Fuerteventura	FUE	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Fukuoka	FUK		Yes		Fax: +81.92.622-8984		
Glasgow	GLA		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
Gothenburg	GOT		Yes	ARNACXH	scr@airportcoordination.com		www.arnslot.se
Patras	GPA	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Gerona	GRO	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Sao Paulo-Guarulhos	GRU		Yes		slot@anac.gov.br		www.anac.gov.br
Graz	GRZ		Yes	VIECPXH	viecpxh@slots-austria.com	2, 3	www.slots-austria.com
Geneva	GVA	Yes		ZRHACXH	zrhacxh@slotcoord.ch	2	www.slotcoordination.ch
Hannover	HAJ		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Hamburg	HAM		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Hanoi	HAN	Yes			nguyentruong@caa.gov.vn		
Hobart	HBA		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au

82



	Airport	SCR Level	SMA Level				
City (Airport)	Code	3	2	TTY	E-mail	Notes	Website
Hat Yai	HDY		Yes	HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Helsinki	HEL	Yes		HELACXH	scr@airportcoordination.com		www.euaca.org
Heraklion	HER	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Hangzhou Xiaoshan	HGH	Yes		BJSCKCA	shake@atmb.net.cn		
Hong Kong	HKG	Yes			hkgslot@cad.gov.hk	5	www.hkgslot.gov.hk
Phuket	HKT	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Hyderabad	HYD		Yes	HYDGAXH	slotcoord.hyderabad@gmrgroup.in		www.hyderabad.aero
Ibiza	IBZ	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Incheon	ICN	Yes		SELACXH	kaso-korea@hanmail.net		<u> </u>
Innsbruck	INN	Yes		VIECPXH	viecpxh@slots-austria.com slot.gac@innsbruck-airport.com (GA/BA)	3, 5, 6	www.slots-austria.com
Benazir Bhutto	ISB	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
Istanbul	IST	Yes		ISTTUTK	eertus@shgm.gov.tr	3	
Jeddah	JED		Yes	JEDYBXS	emadarab2003@yahoo.com		
New York-J.F. Kennedy	JFK	Yes		DCAYAXD	7-awa-slotadmin@faa.gov, JFKslots@panynj.gov		
Chios	JKH	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Mikonos	JMK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Johannesburg	JNB	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
Skiathos	JSI	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Thira	JTR	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Kyiv	KBP	Yes		KBPDC7X	cdarh@kbp.kiev.ua	3	www.boryspil-airport.com.ua
Reykjavik	KEF	Yes		KEFACXH	scr@airportcoordination.com	3, 5	www.online-coordination.com, www.airportcoordination.dk
Kos	KGS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Kaohsiung	KHH		Yes	TPEACXH	service@aptcoord.org.tw		www.aptcoord.org.tw
Karachi	KHI	Yes			khawar.ghayas@caapakistan.com.pk		www.caapakistan.com
Osaka-Kansai	KIX		Yes		NRT.KIX@schedule -coordination.jp		www.schedule-coordination.jp
Kirkenes	KKN		Yes	OSLACXH	scr@airportcoordination.com	4	www.airportcoordination.no
Klagenfurt	KLU		Yes	VIECPXH	XH viecpxh@slots-austria.com 2, 3 www.slots-austria.com		www.slots-austria.com
Kalamata	KLX	Yes		ATHSPOA	HSPOA slot-coord@olympic-airways.gr 2 www.euaca.org		www.euaca.org
Kunming Wujiaba	KMG	Yes		BJSCKCA	shake@atmb.net.cn		
Kuala Lumpur	KUL	Yes		KULSPMH	slot-malaysia@acm.org.my	2	



		SCR	SMA				
City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
Kavala	KVA	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Kuwait	KWI		Yes	KWIAPYA, KWIDDYA	schedules@kuwait-airport.com.kw		www.kuwait-airport.com.kw
Los Angeles	LAX		Yes	LAXIACR	laxiata@lawa.org		The state of the s
Larnaca	LCA		Yes	NICSAXH	cyprus-slots@dca.mcw.gov.cy		
La Coruna	LCG		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
London-City	LCY		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
St. Petersburg	LED		Yes	LEDCDSU			
Almeria	LEI	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Leipzig	LEJ		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
London-Gatwick	LGW	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
Lahore	LHE	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
London-Heathrow	LHR	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
Milan - Linate	LIN	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Lisbon	LIS	Yes		LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Ljubljana	LJU		Yes	LJUAPXH			
Lampedusa	LMP	Yes		ROMSPXH	score@assoclearance.it	1	www.assoclearance.it
Linz	LNZ		Yes	VIECPXH	viecpxh@slots-austria.com	2, 3	www.slots-austria.com
Gran Canaria	LPA	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
London-Luton	LTN		Yes	LONACXH	lonacxh@acl-uk.org	5	www.acl-uk.org, www.online-coordination.com
Luxembourg	LUX		Yes	LUXSPLG			
Lemnos	LXS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Lyon-Satolas	LYS	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	3	www.cohor.org
Chennai	MAA	Yes		BOMSPAI			
Madrid	MAD	Yes		MADGSYA	slot.coord@aena.es	2, 3, 5	www.euaca.org
Menorca	MAH	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Manchester	MAN	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
Orlando	MCO		Yes	MCOAPXH	eruss@goaa.org		
Melbourne	MEL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Mexico City	MEX	Yes			lcalderon@aicm.com.mx		

84



		SCR	SMA				
City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
Macau	MFM		Yes	MFMAACR	mfmslot@ada.com.mo		
Monastir	MIR		Yes	TUNKEXH	tunisia-sked@tunisairhandling.com.tn		
Mytilene	MJT	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Luga	MLA		Yes	MLASLXH	scm@maltairport.com		www.maltairport.com
Manila	MNL	Yes		MNLSYPR	mila abarro@pal.com.ph		
Mauritius	MRU	Yes		MRUSPMK	aramdenee@airmauritius.com		www.airmauritius.com
Munich	MUC	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Milan - Malpensa	MXP	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Naples	NAP	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Nice	NCE	Yes		HDQCOXH	hdqcoxh.scr@cohor.org		www.cohor.org
Newcastle	NCL		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
Chubu	NGO		Yes		ngo-schedule@cab.mlit.go.jp	5	
Norfolk Island	NLK		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Tokyo-Narita	NRT	Yes			NRT.KIX@schedule -coordination.jp		www.schedule-coordination.jp
Nuremberg	NUE		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Gold Coast	OOL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
							www.online-coordination.com,
Porto	OPO	Yes		LISCSXH	liscsxh@ana.pt	5	http://slotsportugal.ana.pt
Chicago-O' Hare	ORD		Yes	DCAYAXD, CHICTCR	7-awa-slotadmin@faa.gov jackrantilla@cicatec.com		
Paris-Orly	ORY	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	2, 3	www.cohor.org
Oslo-Gardermoen	OSL	Yes		OSLACXH	scr@airportcoordination.com	5	www.airportcoordination.no
Paros	PAS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Ponta Delgada	PDL		Yes	LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Beijing	PEK	Yes		BJSCKCA	lingang@atmb.net.cn		
Perth	PER	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Peshawar	PEW	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
Paphos	PFO		Yes	NICSAXH	cyprus-slots@dca.mcw.gov.cy		
Port Hedland	PHE		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Palma Mallorca	PMI	Yes		MADGSYA	slot.coord@aena.es	2, 5	www.euaca.org
Palermo	PMO	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Phnom Penh	PNH	Yes		PNHSB7X	slot.com@online.com.kh		
Pantelleria	PNL	Yes		ROMSPXH	score@assoclearance.it 1 www.assoclearance.it		www.assoclearance.it
Prague	PRG	Yes		PRGSP7X	slot.coord@prg.aero		www.euaca.org



		SCR	SMA				
City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
Pristina	PRN	Yes			slot.coordinator@airportpristina.com		
Pisa	PSA		Yes	ROMSPXH	score@assoclearance.it		www.assoclearance.it
Shanghai	PVG	Yes		BJSCKCA	lingang@atmb.net.cn		
Preveza/Lefkas	PVK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Siem Reap	REP	Yes		PNHSB7X	slot.com@online.com.kh		•
Reus	REU	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Rhodes	RHO	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Rotterdam	RTM	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
Riyadh	RUH		Yes	JEDYBXS	emadarab2003@yahoo.com		
Saarbruecken	SCN		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Santiago de Compostela	SCQ		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Seoul	SEL	Yes		SELACXH	kaso-korea@hanmail.net		
Seychelles	SEZ		Yes	SEZCPHM			
San Francisco	SFO		Yes	SFOJSCR	jeffseid@aol.com		
Ho Chi Minh	SGN	Yes			nguyentruong@caa.gov.vn		
Singapore	SIN	Yes		SINACXH	juingyoung_lee@singaporeair.com.sg		
Thessalonika	SKG	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Skopje	SKP		Yes	SKPSCXH	sc@airports.com.mk		www.airports.com.mk
Skiros	SKU	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Samos	SMI	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Sofia	SOF		Yes	SOFKOXH	batchvarovr@sofia-airport.bg	5	www.sofia-airport.bg/slotcoord
Southampton	SOU		Yes	LONACXH	lonacxh@acl-uk.org	3	www.acl-uk.org, www.online-coordination.com
Split	SPU		Yes	SPUAPXH	schedules@split-airport.hr	4	www.orimic coordination.com
Stansted	STN	Yes	100	LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
Stuttgart	STR	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Stavanger	SVG	Yes		OSLACXH	scr@airportcoordination.com		www.airportcoordination.no
Moscow-Sheremetvevo	SVO	Yes		SVOHP7X	coordination@sheremetyevo-airport.ru		www.sheremetvevo-airport.ru
Seville	SVQ	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Berlin - Schoenefeld	SXF	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Sydney	SYD	Yes		HDQACXH	slots@coordaus.com.au	3, 5	www.coordaus.com.au
Salzburg	SZG		Yes	VIECPXH	viecpxh@slots-austria.com	iecpxh@slots-austria.com 3 www.slots-austria.com	
Shenzhen Baoan	SZX	Yes		BJSCKCA	shake@atmb.net.cn		
Tenerife - Norte	TFN	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Tenerife - Reina Sofia	TFS	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org

86



City (Airport)	Airport Code	SCR Level	SMA Level 2	TTY	E-mail	Notes	Website
Tel Aviv	TLV	Yes		TLVACXH	judithf@iaa.gov.il	140103	Trebate
Taipei	TPE	Yes		TPEACXH	service@aptcoord.org.tw		www.aptcoord.org.tw
Turin	TRN	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Tianjin Binhai	TSN	Yes		BJSCKCA	shake@atmb.net.cn		www.associcarance.it
Townsville	TSV	100	Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Tunis	TUN		Yes	TUNKEXH	tunisia-sked@tunisairhandling.com.tn		WWW.soordado.com.ad
Berlin - Tegel	TXL	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Utapao	UTP		Yes	HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Venice	VCE	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Vienna	VIE	Yes		VIECPXH	viecpxh@slots-austria.com slot.gac@innsbruck-airport.com (GA/BA)	3, 5	www.slots-austria.com
Vitoria	VIT		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Moscow-Vnukovo	VKO	Yes		VKOACXH	coordination@vnukovo.ru	3, 5	www.vnukovo.ru/eng/for-airline/schedule_coord/
Valencia	VLC	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Wellington	WLG	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
Xi'an Xianyang	XIY	Yes		BJSCKCA	shake@atmb.net.cn		
Montreal	YUL		Yes		horairedevol@admtl.com		www.admtl.com
Vancouver	YVR	Yes		YVRGLAC	lak.sangha@aircanada.ca		
Calgary	YYC		Yes		yycflightschedule@yyc.com		www.calgaryairport.com
Toronto	YYZ	Yes		YYZSCAC	cyyzslots@accl.aero	2	
Zaragoza	ZAZ		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Zurich	ZRH	Yes		ZRHACXH	zrhacxh@slotcoord.ch		www.slotcoordination.ch
Zakinthos	ZTH	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org

Table II (Sorted by Country)

Country	City (Airport)	Airport Code	SCR Level	SMA Level 2	ттү	E-mail	Notes	Website
Australia	Adelaide	ADL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Brisbane	BNE	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Cairns	CNS	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Darwin	DRW	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Gold Coast	OOL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Hobart	HBA		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Melbourne	MEL	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Norfolk Island	NLK		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Perth	PER	Yes		HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Port Hedland	PHE		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Australia	Sydney	SYD	Yes		HDQACXH	slots@coordaus.com.au	3, 5	www.coordaus.com.au
Australia	Townsville	TSV		Yes	HDQACXH	slots@coordaus.com.au		www.coordaus.com.au
Austria	Graz	GRZ		Yes	VIECPXH	viecpxh@slots-austria.com	2, 3	www.slots-austria.com
Austria	Innsbruck	INN	Yes		VIECPXH	viecpxh@slots-austria.com slot.gac@innsbruck-airport.com (GA/BA)	3, 5, 6	www.slots-austria.com
Austria	Klagenfurt	KLU		Yes	VIECPXH	viecpxh@slots-austria.com	2, 3	www.slots-austria.com
Austria	Linz	LNZ		Yes	VIECPXH	viecpxh@slots-austria.com	2, 3	www.slots-austria.com
Austria	Salzburg	SZG		Yes	VIECPXH	viecpxh@slots-austria.com	3	www.slots-austria.com
Austria	Vienna	VIE	Yes		VIECPXH	viecpxh@slots-austria.com slot.gac@innsbruck-airport.com (GA/BA)	3, 5	www.slots-austria.com
Bahrain	Bahrain	BAH		Yes	BAHSPGF	BAHSPGF@gulfair.com		
Belgium	Brussels	BRU	Yes		BRUACXH	BRUACXH@brucoord.org	5	www.brucoord.org
Bermuda	Bermuda	BDA		Yes	BDAAOCR			
Brazil	Sao Paulo-Guarulhos	GRU		Yes		slot@anac.gov.br		www.anac.gov.br
Bulgaria	Sofia	SOF		Yes	SOFKOXH	batchvarovr@sofia-airport.bg	5	www.sofia-airport.bg/slotcoord
Cambodia	Phnom Penh	PNH	Yes		PNHSB7X	slot.com@online.com.kh		
Cambodia	Siem Reap	REP	Yes		PNHSB7X	slot.com@online.com.kh		
Canada	Calgary	YYC		Yes		yycflightschedule@yyc.com		www.calgaryairport.com
Canada	Montreal	YUL		Yes		horairedevol@admtl.com		www.admtl.com

88



			SCR	SMA				
		Airport	Level	Level				
Country	City (Airport)	Code	3	2	TTY	E-mail	Notes	Website
Canada	Toronto	YYZ	Yes		YYZSCAC	cyyzslots@accl.aero	2	
Canada	Vancouver	YVR	Yes		YVRGLAC	lak.sangha@aircanada.ca		
China, P.R.	Beijing	PEK	Yes		BJSCKCA	lingang@atmb.net.cn		
China, P.R.	Guangzhou	CAN	Yes		BJSCKCA	lingang@atmb.net.cn	2	
China, P.R.	Shanghai	PVG	Yes		BJSCKCA	lingang@atmb.net.cn		
China, P.R.	Chongqing Jiangbei	CKG	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Chengdu Shuangliu	CTU	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Dalian Zhoushuizi	DLC	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Hangzhou Xiaoshan	HGH	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Kunming Wujiaba	KMG	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Shenzhen Baoan	SZX	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Tianjin Binhai	TSN	Yes		BJSCKCA	shake@atmb.net.cn		
China, P.R.	Xi'an Xianyang	XIY	Yes		BJSCKCA	shake@atmb.net.cn		
Chinese Taipei	Kaohsiung	KHH		Yes	TPEACXH	service@aptcoord.org.tw		www.aptcoord.org.tw
Chinese Taipei	Taipei	TPE	Yes		TPEACXH	service@aptcoord.org.tw		www.aptcoord.org.tw
Croatia	Split	SPU		Yes	SPUAPXH	schedules@split-airport.hr	4	
Cyprus	Larnaca	LCA		Yes	NICSAXH	cyprus-slots@dca.mcw.gov.cy		
Cyprus	Paphos	PFO		Yes	NICSAXH	cyprus-slots@dca.mcw.gov.cy		
Czech Republic	Prague	PRG	Yes		PRGSP7X	slot.coord@prg.aero		www.euaca.org
Denmark	Billund	BLL	Yes		СРНАСХН	scr@airportcoordination.com		www.online-coordination.com, www.airportcoordination.dk
Denmark	Copenhagen	СРН	Yes		СРНАСХН	scr@airportcoordination.com	5	www.online-coordination.com, www.airportcoordination.dk
Finland	Helsinki	HEL	Yes		HELACXH	scr@airportcoordination.com		www.euaca.org
France	Lyon-Satolas	LYS	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	3	www.cohor.org
France	Nice	NCE	Yes		HDQCOXH	hdqcoxh.scr@cohor.org		www.cohor.org
France	Paris-Ch. De Gaulle	CDG	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	2, 3	www.cohor.org
France	Paris-Orly	ORY	Yes		HDQCOXH	hdqcoxh.scr@cohor.org	2, 3	www.cohor.org
Germany	Berlin - Schoenefeld	SXF	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Berlin - Tegel	TXL	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Bremen	BRE		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Cologne	CGN		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Dresden	DRS		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Duesseldorf	DUS	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Erfut	ERF		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Frankfurt	FRA	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org



Country	City (Airport)	Airport Code	SCR Level	SMA Level 2	ттү	E-mail	Notes	Website
Germany	Hamburg	HAM		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Hannover	HAJ		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Leipzia	LEJ		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Muenster	FMO		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Munich	MUC	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Nuremberg	NUE	100	Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Saarbruecken	SCN		Yes	FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Germany	Stuttgart	STR	Yes		FRAZTXH	FRAZTXH@fhkd.org	5	www.fhkd.org
Ghana	Accra	ACC	Yes		ACCCZGH	chrisntq@yahoo.com		www.gcaa.com.gh
Greece	Athens	ATH	100	Yes	ATHSPOA	slot-coord@olympic-airways.gr	2, 5	www.euaca.org
Greece	Chania	CHQ	Yes	100	ATHSPOA	slot-coord@olympic-airways.gr	2, 3	www.euaca.org
Greece	Chios	JKH	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Corfu	CFU	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Heraklion	HER	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Kalamata	KLX	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Karpathos	AOK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Kavala	KVA	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Kefallinia	EFL	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Kos	KGS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Lemnos	LXS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Mikonos	JMK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Mytilene	MJT	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Paros	PAS	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Patras	GPA	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Preveza/Lefkas	PVK	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Rhodes	RHO	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Samos	SMI	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Skiathos	JSI	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Skiros	SKU	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Thessalonika	SKG	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Thira	JTR	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Greece	Zakinthos	ZTH	Yes		ATHSPOA	slot-coord@olympic-airways.gr	2	www.euaca.org
Hong Kong (SAR), China	Hong Kong	HKG	Yes			hkgslot@cad.gov.hk	5	www.hkgslot.gov.hk
Hungary	Budapest	BUD		Yes	BUDLR7X	budcoord@hungarocontrol.hu		www.hungarocontrol.hu
Iceland	Reykjavik	KEF	Yes		KEFACXH	scr@airportcoordination.com	3, 5	www.online-coordination.com,



			SCR	SMA				
Country	City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
India	Bangalore	BLR		Yes		slotcoordination@bialairport.com	5	www.bialairport.com
India	Chennai	MAA	Yes		BOMSPAI			
India	Delhi	DEL	Yes			intslots.igia@gmrgroup.in		www.newdelhiairport.in
India	Hyderabad	HYD		Yes	HYDGAXH	slotcoord.hyderabad@gmrgroup.in		www.hyderabad.aero
India	Kolkata	CCU		Yes	BOMSPAI			
India	Mumbai	BOM	Yes			slots@csia.gvk.com		www.csia.in
Indonesia	Denpasar	DPS	Yes		JKTSPGA	scheduleplanning@garuda- indonesia.com		
Indonesia	Jakarta	CGK		Yes	JKTSPGA	scheduleplanning@garuda- indonesia.com		
Ireland	Dublin	DUB	Yes		LONACXH	lonacxh@acl-uk.org	5	www.acl-uk.org, www.online-coordination.com
Israel	Tel Aviv	TLV	Yes		TLVACXH	judithf@iaa.gov.il		
Italy	Bologna	BLQ		Yes	ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Cagliari	CAG	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Catania	СТА	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Florence	FLR	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Lampedusa	LMP	Yes		ROMSPXH	score@assoclearance.it	1	www.assoclearance.it
Italy	Milan - Linate	LIN	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Milan - Malpensa	MXP	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Milan - Orio al Serio	BGY	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Naples	NAP	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Palermo	PMO	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Pantelleria	PNL	Yes		ROMSPXH	score@assoclearance.it	1	www.assoclearance.it
Italy	Pisa	PSA		Yes	ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Rome - Ciampino	CIA	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Rome - Fiumicino	FCO	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Turin	TRN	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Italy	Venice	VCE	Yes		ROMSPXH	score@assoclearance.it		www.assoclearance.it
Japan	Chubu	NGO		Yes		ngo-schedule@cab.mlit.go.jp	5	
Japan	Fukuoka	FUK		Yes		Fax: +81.92.622-8984		
Japan	Osaka-Kansai	KIX		Yes		NRT.KIX@schedule -coordination.jp		www.schedule-coordination.jp
Japan	Tokyo-Narita	NRT	Yes			NRT.KIX@schedule -coordination.jp		www.schedule-coordination.jp
Korea	Incheon	ICN	Yes		SELACXH	kaso-korea@hanmail.net		
Korea	Seoul	SEL	Yes		SELACXH	kaso-korea@hanmail.net		
Kosovo	Pristina	PRN	Yes			slot.coordinator@airportpristina.com		



			SCR	SMA				
Country	City (Airport)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
					KWIAPYA,			
Kuwait	Kuwait	KWI		Yes	KWIDDYA	schedules@kuwait-airport.com.kw		www.kuwait-airport.com.kw
Luxembourg	Luxembourg	LUX		Yes	LUXSPLG			
Macau (SAR), China	Macau	MFM		Yes	MFMAACR	mfmslot@ada.com.mo		
Macedonia (FYROM)	Skopje	SKP		Yes	SKPSCXH	sc@airports.com.mk		www.airports.com.mk
Malaysia	Kuala Lumpur	KUL	Yes		KULSPMH	slot-malaysia@acm.org.my	2	
Malta	Luqa	MLA		Yes	MLASLXH	scm@maltairport.com		www.maltairport.com
Mauritius	Mauritius	MRU	Yes		MRUSPMK	aramdenee@airmauritius.com		www.airmauritius.com
Mexico	Mexico City	MEX	Yes			lcalderon@aicm.com.mx		
Netherlands	Amsterdam	AMS	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
Netherlands	Eindhoven	EIN	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
Netherlands	Rotterdam	RTM	Yes		SPLACXH	info@slotcoordination.nl		www.slotcoordination.nl
New Zealand	Auckland	AKL	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
New Zealand	Christchurch	CHC	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
New Zealand	Wellington	WLG	Yes		AKLSPNZ	bruce.cargill@airnz.co.nz		
Norway	Bergen	BGO	Yes		OSLACXH	scr@airportcoordination.com	5	www.airportcoordination.no
Norway	Kirkenes	KKN		Yes	OSLACXH	scr@airportcoordination.com	4	www.airportcoordination.no
Norway	Oslo-Gardermoen	OSL	Yes		OSLACXH	scr@airportcoordination.com	5	www.airportcoordination.no
Norway	Stavanger	SVG	Yes		OSLACXH	scr@airportcoordination.com		www.airportcoordination.no
Pakistan	Benazir Bhutto	ISB	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
Pakistan	Karachi	KHI	Yes			khawar.ghayas@caapakistan.com.pk		www.caapakistan.com
Pakistan	Lahore	LHE	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
Pakistan	Peshawar	PEW	Yes			khawar.ghayas@caapakistan.com.pk	5	www.caapakistan.com
Philippines	Manila	MNL	Yes		MNLSYPR	mila_abarro@pal.com.ph		·
Portugal	Faro	FAO	Yes		LISCSXH	liscsxh@ana.pt	1, 5	www.online-coordination.com, http://slotsportugal.ana.pt
Portugal	Funchal	FNC	Yes		LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Portugal	Lisbon	LIS	Yes		LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Portugal	Ponta Delgada	PDL		Yes	LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Portugal	Porto	OPO	Yes		LISCSXH	liscsxh@ana.pt	5	www.online-coordination.com, http://slotsportugal.ana.pt
Qatar	Doha	DOH		Yes	DOHXYYF	mohammed.alkhater@caa.gov.qa		www.caa.gov.qa
Russian Federation	Moscow-Sheremetyevo	SVO	Yes		SVOHP7X	coordination@sheremetyevo-airport.ru	_	www.sheremetyevo-airport.ru



Country	City (Airmant)	Airport Code	SCR Level	SMA Level 2	TTV	E meil	Netco	Wahaita
Country	City (Airport)	Code	3	2	TTY	E-mail	Notes	Website www.vnukovo.ru/eng/for-
Russian Federation	Moscow-Vnukovo	VKO	Yes		VKOACXH	coordination@vnukovo.ru	3, 5	airline/schedule_coord/
Russian Federation	St. Petersburg	LED		Yes	LEDCDSU			
Saudi Arabia	Jeddah	JED		Yes	JEDYBXS	emadarab2003@yahoo.com		
Saudi Arabia	Riyadh	RUH		Yes	JEDYBXS	emadarab2003@yahoo.com		
Seychelles	Seychelles	SEZ		Yes	SEZCPHM			
Singapore	Singapore	SIN	Yes		SINACXH	juingyoung_lee@singaporeair.com.sg		
Slovakia	Bratislava	BTS		Yes	BTSSC7X	peter.psenica@airportbratislava.sk		
Slovenia	Ljubljana	LJU		Yes	LJUAPXH			
South Africa	Cape Town	CPT	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
South Africa	Durban	DUR	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
South Africa	Johannesburg	JNB	Yes			Coord@atns.co.za	3, 5	www.atns.co.za
Spain & Canary Islands	Alicante	ALC	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Almeria	LEI	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Barcelona	BCN	Yes		MADGSYA	slot.coord@aena.es	2, 5	www.euaca.org
Spain & Canary Islands	Bilbao	BIO	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Fuerteventura	FUE	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Gerona	GRO	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Gran Canaria	LPA	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Ibiza	IBZ	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	La Coruna	LCG		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Lanzarote	ACE	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Madrid	MAD	Yes		MADGSYA	slot.coord@aena.es	2, 3, 5	www.euaca.org
Spain & Canary Islands	Malaga	AGP	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Menorca	MAH	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Palma Mallorca	PMI	Yes		MADGSYA	slot.coord@aena.es	2, 5	www.euaca.org
Spain & Canary Islands	Reus	REU	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Santiago de Compostela	SCQ		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Seville	SVQ	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Tenerife - Norte	TFN	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Tenerife - Reina Sofia	TFS	Yes		MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Valencia	VLC	Yes		MADGSYA	slot.coord@aena.es	1, 2	www.euaca.org
Spain & Canary Islands	Vitoria	VIT		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Spain & Canary Islands	Zaragoza	ZAZ		Yes	MADGSYA	slot.coord@aena.es	2	www.euaca.org
Sri Lanka	Colombo	CMB	Yes		CMBSPUL	maniqueg@srilankan.lk		
Sweden	Gothenburg	GOT		Yes	ARNACXH	scr@airportcoordination.com		www.arnslot.se



			SCR	SMA				
Country	City (Airmort)	Airport Code	Level 3	Level 2	TTY	E-mail	Notes	Website
Sweden	City (Airport) Stockholm-Arlanda	ARN	Yes	2	ARNACXH	scr@airportcoordination.com	2	www.arnslot.se
Sweden	Stockholm-Bromma	BMA	Yes		ARNACXH	scr@airportcoordination.com	3	www.arnslot.se
Switzerland	Basel/Mulhouse	BSL	163	Yes	HDQCOXH	hdqcoxh.scr@cohor.org	3	www.cohor.org
Switzerland	Geneva	GVA	Yes	162	ZRHACXH	zrhacxh@slotcoord.ch	2	www.slotcoordination.ch
Switzerland	Zurich	ZRH	Yes		ZRHACXH	zrhacxh@slotcoord.ch		www.slotcoordination.ch
Switzeriand	Zulicii	ZKII	168		İ	ZITIACXIT@SIOICOOTG.CIT		www.slotcoordination.cm
Thailand	Suvarnabhumi	BKK	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Thailand	Chiang Mai	CNX	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
	Critical Street	0			HDQYYTG.			
Thailand	Don Mueang	DMK		Yes	HDQYOTG	airportcoordination@slotthai.com		
Thailand	Hat Yai	HDY		Yes	HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Thailand	Phuket	HKT	Yes		HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Thailand	Utapao	UTP		Yes	HDQYYTG, HDQYOTG	airportcoordination@slotthai.com		
Tunisia	Monastir	MIR		Yes	TUNKEXH	tunisia-sked@tunisairhandling.com.tn		
Tunisia	Tunis	TUN		Yes	TUNKEXH	tunisia-sked@tunisairhandling.com.tn		
Turkey	Ankara	ESB		Yes	ISTTUTK	eertus@shqm.gov.tr	3	
Turkey	Antalya	AYT	Yes		ISTTUTK	eertus@shqm.gov.tr	1, 3	
Turkey	Bodrum	BJV		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Turkey	Dalaman	DLM		Yes	ISTTUTK	eertus@shgm.gov.tr	3	
Turkey	Istanbul	IST	Yes		ISTTUTK	eertus@shqm.gov.tr	3	
Turkey	Izmir	ADB		Yes	ISTTUTK	eertus@shqm.gov.tr	3	
Ukraine	Kviv	KBP	Yes		KBPDC7X	cdarh@kbp.kiev.ua	3	www.boryspil-airport.com.ua
United Arab Emirates	Abu Dhabi	AUH		Yes	HDQACXH	slots@coordaus.com.au		www.coordinationabudhabi.com
United Arab Emirates	Dubai	DXB		Yes	DXBSCXH	DXBSCXH@ACL-UK.org		www.acl-uk.org
United Kingdom	Aberdeen	ABZ		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
United Kingdom	Birmingham	BHX		Yes	LONACXH	lonacxh@acl-uk.org	3	www.acl-uk.org, www.online-coordination.com
United Kingdom	Bristol	BRS		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
United Kingdom	Edinburgh	EDI		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com



		Airport	SCR Level	SMA Level				
Country	City (Airport)	Code	3	2	TTY	E-mail	Notes	Website
United Kingdom	Glasgow	GLA		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
United Kingdom	London-City	LCY		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
United Kingdom	London-Gatwick	LGW	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
United Kingdom	London-Heathrow	LHR	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
United Kingdom	London-Luton	LTN		Yes	LONACXH	lonacxh@acl-uk.org	5	www.acl-uk.org, www.online-coordination.com
United Kingdom	Manchester	MAN	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
United Kingdom	Newcastle	NCL		Yes	LONACXH	lonacxh@acl-uk.org		www.acl-uk.org, www.online-coordination.com
United Kingdom	Southampton	SOU		Yes	LONACXH	lonacxh@acl-uk.org	3	www.acl-uk.org, www.online-coordination.com
United Kingdom	Stansted	STN	Yes		LONACXH	lonacxh@acl-uk.org	3, 5	www.acl-uk.org, www.online-coordination.com
United States	Chicago-O' Hare	ORD		Yes	DCAYAXD, CHICTCR	7-awa-slotadmin@faa.gov jackrantilla@cicatec.com		
United States	Los Angeles	LAX		Yes	LAXIACR	laxiata@lawa.org		
United States	Newark	EWR	Yes		DCAYAXD	7-awa-slotadmin@faa.gov, ewrcoordination@comcast.net, EWRslots@panynj.gov		
United States	New York-J.F. Kennedy	JFK	Yes		DCAYAXD	7-awa-slotadmin@faa.gov, JFKslots@panynj.gov		
United States	Orlando	мсо		Yes	MCOAPXH	eruss@goaa.org		
United States	San Francisco	SFO		Yes	SFOJSCR	jeffseid@aol.com		
Vietnam	Hanoi	HAN	Yes			nguyentruong@caa.gov.vn		
Vietnam	Ho Chi Minh	SGN	Yes			nguyentruong@caa.gov.vn		




Intentionally left blank.

WSG 18th Edition –August 2009



### ANNEX 4 - STANDARD CLEARANCE/ADVICE FORM (SCR)

Please note Annex 4 – Standard Clearance/Advice Form is to be used as a Conference document only. Details of the codes to be used on the SCR are contained in Chapter 6 of the SSIM manual.





Intentionally left blank.



### ANNEX 5 - NOTIFICATION OF AIRPORT LEVEL CHANGE FORM

Please complete all fields and forward to: sked@iata.org

GENERAL INFORMATION
Airport Name:
Airport Code:
Authority Notifying Level Change:
Current Airport Level:
New Airport Level:
Reason for Level Change:
Is there a Coordination Committee? YES/NO
Have the stakeholders at this airport been consulted regarding a change in Level? YES/NO
CAPACITY ANALYSIS
Date of most recent Capacity Analysis: (Please include this Capacity Analysis with this notification)
CONTACT INFORMATION
Coordinator/Schedules Facilitator Name:
Title:
Postal Address:
Telephone:
Fax:
Email:
SITA:
Website:
FOR JSAG USE ONLY
Notification received on:
Notification reviewed on:

Intentionally left blank.